

Contents

General Information – Wood Tables	ST-2
Wood Tables – General Information	ST-3
Wood Tables Summary.....	ST-4
Fixed-Height Wood Tables.....	ST-5
Adjustable-Height Wood Tables	ST-7
General Information – Metal Tables.....	ST-9
Metal Tables.....	ST-10
Pinnacle Series®	
Electric Height-Adjustable Workstations.....	ST-11
Manual Height-Adjustable Workstations.....	ST-16
Uprights	ST-21
Work Surfaces	ST-22
Shelving	ST-23
Power Manifolds	ST-25
Gas Manifolds.....	ST-27
Plumbing Hoses.....	ST-28
Plumbing Valves	ST-29
Workstation Accents	ST-30
Task Light.....	ST-31
Computer Accessories.....	ST-32
Apparatus Rods	ST-33
General Information – Mobile Cabinets	ST-34
Low Mobile Cabinets	ST-35
General Information – Tall Cabinets	ST-39
General Storage Tall Cabinets.....	ST-40
Corner Tall Cabinets	ST-45
Cubicle Storage Tall Cabinets.....	ST-47
Tote Tray Storage Tall Cabinets.....	ST-51
Angled Back Tall Cabinets	ST-54
Special Purpose Tall Cabinets	ST-56
Tall Mobile Cabinets.....	ST-58
Spray Booth.....	ST-61

General Information

Please review the following for general information. Contact your dealer for any clarifications.

Casework shown in this section has been selected for STEM work and storage solutions. Please see Base cabinet, Wall case and Tall case sections for other options.

Be sure to utilize fillers, especially at walls and corners, for proper leveling and to allow for door and drawer opening clearances.

Cabinets that require locks, finished ends, finished backs, finished tops, specialty hardware or devices, and other options, must be clearly called out or specified accordingly.

Wood Tables – General Information

Please review the following for general cabinet information. Contact your dealer for any clarifications.

All wood tables

- Sizes shown are overall sizes including 1" thick top and 1" overhang all around.
- Solid hardwood (plain-sliced red oak or white maple) construction.
- Internal intermediate rails are plywood.
- Aprons are 4-5/8" high for standing-height, 3-3/4" high for ADA and sitting height.
- For tables over 72" wide, we recommend the use of one four-leg table with added left or right leg tables.
- We recommend a maximum length of 96" for multiple-leg tables for ease of movement and to allow making the top in one piece.

Fixed-height wood tables with levelers

- Legs are 2-1/4" square hardwood and include black coved leg shoes.
- Tables over 48" wide include 1-1/4" x 1-3/4" leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).

Fixed-height wood tables with casters

- Legs are 2-1/4" square hardwood and include 100 lb. swivel casters (2 locking).
- All tables with casters include 1-1/4" x 1-3/4" leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).

Adjustable-height wood tables with levelers

- Legs are 2-1/2" square hardwood and include stainless steel telescoping inserts, adjustable from 30" to 37" high (by means of multiple holes & threaded thru-bolt) and leveler.
- Tables over 48" wide include 1-1/4" x 1-3/4" leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).


Adjustable-height wood tables with casters

- Legs are 2-1/2" square hardwood and include stainless steel telescoping inserts, adjustable from 30" to 37" high (by means of multiple holes & threaded thru-bolt) and 100 lb. swivel casters (2 locking).
- All tables with casters include 1-1/4" x 1-3/4" leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).

Wood Tables Summary


Description	No Top	Phenolic Top	Epoxy Resin Top	Maple Butcher Block Top
Fixed-height with levelers				
Table frame, 4 legs	D6150	D6150PR	D6150ER	D6150BB
Table frame, 1 drawer, 4 legs	D6151	D6151PR	D6151ER	D6151BB
Table frame, 2 drawers, 4 legs	D6152	D6152PR	D6152ER	D6152BB
Table frame, right legs	D6170	D6170PR	D6170ER	D6170BB
Table frame, 1 drawer, right legs	D6171	D6171PR	D6171ER	D6171BB
Table frame, 2 drawers, right legs	D6172	D6172PR	D6172ER	D6172BB
Table frame, left legs	D6160	D6160PR	D6160ER	D6160BB
Table frame, 1 drawer, left legs	D6161	D6161PR	D6161ER	D6161BB
Table frame, 2 drawers, left legs	D6162	D6162PR	D6162ER	D6162BB
Trapezoidal table	D6190	D6190PR	D6190ER	D6190BB
Fixed-height with casters				
Table frame, 4 legs, casters	D6250	D6250PR	D6250ER	D6250BB
Table frame, 1 drawer, 4 legs, casters	D6251	D6251PR	D6251ER	D6251BB
Table frame, 2 drawers, 4 legs, casters	D6252	D6252PR	D6252ER	D6252BB
Table frame, right legs, casters	D6270	D6270PR	D6270ER	D6270BB
Table frame, 1 drawer, right legs, casters	D6271	D6271PR	D6271ER	D6271BB
Table frame, 2 drawers, right legs, casters	D6272	D6272PR	D6272ER	D6272BB
Table frame, left legs, casters	D6260	D6260PR	D6260ER	D6260BB
Table frame, 1 drawer, left legs, casters	D6261	D6261PR	D6261ER	D6261BB
Table frame, 2 drawers, left legs, casters	D6262	D6262PR	D6262ER	D6262BB
Trapezoidal table, casters	D6290	D6290PR	D6290ER	D6290BB
Adjustable-height (manual) with levelers				
Table frame, 4 legs, adjustable height	D6350	D6350PR	D6350ER	D6350BB
Table frame, 1 drawer, 4 legs, adjustable height	D6351	D6351PR	D6351ER	D6351BB
Table frame, 2 drawers, 4 legs, adjustable height	D6352	D6352PR	D6352ER	D6352BB
Table frame, right legs, adjustable height	D6370	D6370PR	D6370ER	D6370BB
Table frame, 1 drawer, right legs, adjustable height	D6371	D6371PR	D6371ER	D6371BB
Table frame, 2 drawers, right legs, adjustable height	D6372	D6372PR	D6372ER	D6372BB
Table frame, left legs, adjustable height	D6360	D6360PR	D6360ER	D6360BB
Table frame, 1 drawer, left legs, adjustable height	D6361	D6361PR	D6361ER	D6361BB
Table frame, 2 drawers, left legs, adjustable height	D6362	D6362PR	D6362ER	D6362BB
Trapezoidal table, adjustable height	D6390	D6390PR	D6390ER	D6390BB
Adjustable-height (manual) with casters				
Table frame, 4 legs, adjustable height, casters	D6450	D6450PR	D6450ER	D6450BB
Table frame, 1 drawer, 4 legs, adjustable height, casters	D6451	D6451PR	D6451ER	D6451BB
Table frame, 2 drawers, 4 legs, adjustable height, casters	D6452	D6452PR	D6452ER	D6452BB
Table frame, right legs, adjustable height, casters	D6470	D6470PR	D6470ER	D6470BB
Table frame, 1 drawer, right legs, adjustable height, casters	D6471	D6471PR	D6471ER	D6471BB
Table frame, 2 drawers, right legs, adjustable height, casters	D6472	D6472PR	D6472ER	D6472BB
Table frame, left legs, adjustable height, casters	D6460	D6460PR	D6460ER	D6460BB
Table frame, 1 drawer, left legs, adjustable height, casters	D6461	D6461PR	D6461ER	D6461BB
Table frame, 2 drawers, left legs, adjustable height, casters	D6462	D6462PR	D6462ER	D6462BB
Trapezoidal table, adjustable height, casters	D6490	D6490PR	D6490ER	D6490BB

Fixed-Height Wood Tables With Leveling Glides


CAT. NO **D6150**
DESCRIPTION Table Frame


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6151**
DESCRIPTION Table Frame with One Drawer


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6152**
DESCRIPTION Table Frame with Two Drawers


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6170**
DESCRIPTION Table Frame – Right Legs


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6171**
DESCRIPTION Table Frame with One Drawer – Right Legs


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6172**
DESCRIPTION Table Frame with Two Drawers – Right Legs


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6160**
DESCRIPTION Table Frame – Left Legs


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6161**
DESCRIPTION Table Frame with One Drawer – Left Legs


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6162**
DESCRIPTION Table Frame with Two Drawers – Left Legs

HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30


WIDTH 42 | 48 | 60 | 72

CAT. NO **D6190**
DESCRIPTION Trapezoidal Table Frame

HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30


WIDTH 30 | 60

Fixed-Height Wood Tables With Casters


CAT. NO **D6250**
DESCRIPTION Table Frame


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6251**
DESCRIPTION Table Frame with One Drawer


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6252**
DESCRIPTION Table Frame with Two Drawers


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6270**
DESCRIPTION Table Frame – Right Legs


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6271**
DESCRIPTION Table Frame with One Drawer – Right Legs


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6272**
DESCRIPTION Table Frame with Two Drawers – Right Legs


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6260**
DESCRIPTION Table Frame – Left Legs


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6261**
DESCRIPTION Table Frame with One Drawer – Left Legs


HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6262**
DESCRIPTION Table Frame with Two Drawers – Left Legs

HEIGHT 30 (sitting) | 36 (standing)

DEPTH 24 | 30


WIDTH 42 | 48 | 60 | 72

CAT. NO **D6290**
DESCRIPTION Trapezoidal Table Frame

HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30


WIDTH 30 | 60

Adjustable-Height Wood Tables with Manual Adjustment and Leveling Glides


CAT. NO **D6350**
DESCRIPTION Table Frame


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6351**
DESCRIPTION Table Frame with One Drawer


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6352**
DESCRIPTION Table Frame with Two Drawers


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6370**
DESCRIPTION Table Frame – Right Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6371**
DESCRIPTION Table Frame with One Drawer – Right Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6372**
DESCRIPTION Table Frame with Two Drawers – Right Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6360**
DESCRIPTION Table Frame – Left Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6361**
DESCRIPTION Table Frame with One Drawer – Left Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6362**
DESCRIPTION Table Frame with Two Drawers – Left Legs

HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30


WIDTH 42 | 48 | 60 | 72

CAT. NO **D6390**
DESCRIPTION Trapezoidal Table Frame

HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30


WIDTH 30 | 60

Adjustable-Height Wood Tables with Manual Adjustment and Casters


CAT. NO **D6450**
DESCRIPTION Table Frame


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6451**
DESCRIPTION Table Frame with One Drawer


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6452**
DESCRIPTION Table Frame with Two Drawers


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6470**
DESCRIPTION Table Frame - Right Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6471**
DESCRIPTION Table Frame with One Drawer - Right Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6472**
DESCRIPTION Table Frame with Two Drawers - Right Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6460**
DESCRIPTION Table Frame - Left Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30 | 48

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **D6461**
DESCRIPTION Table Frame with One Drawer - Left Legs


HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36

CAT. NO **D6462**
DESCRIPTION Table Frame with Two Drawers - Left Legs

HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 42 | 48 | 60 | 72

CAT. NO **D6490**
DESCRIPTION Trapezoidal Table Frame

HEIGHT 30 - 37" Adjustable

DEPTH 24 | 30

WIDTH 30 | 60

General Information – Metal Tables

Please review the following for general information. Contact your dealer for any clarifications.

All metal tables

- Sizes shown are overall sizes including 1" thick top and 1" overhang all around.
- Frames and legs are 2" x 2" 16 gauge steel with all-welded construction.
- Epoxy powder-coated finish (black is standard).

Fixed-height metal tables with levelers

- Equipped with levelers and metal leg shoes.
- Tables over 48" wide include leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).

Fixed-height metal tables with casters

- Include 100 lb. swivel casters (2 locking).
- All tables with casters include leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).

Adjustable-height metal tables

- Adjustable in 1" increments between 26" high and 38" high. Legs include painted metal inserts which are manually adjustable by means of a bolt through the leg to fix the height. Includes levelers and metal leg shoes.
- All tables with adjustable-height include leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).

Adjustable-height metal tables with casters

- Adjustable in 1" increments between 26" high and 38" high. Legs include painted metal inserts which are manually adjustable by means of a bolt through the leg to fix the height. Includes levelers and metal leg shoes.
- Include 100 lb. swivel casters (2 locking).
- All tables with adjustable-height include leg stretchers for additional leg support consisting of one at each end and one longitudinal (specify center or rear mounted stretcher).


Description	No Top	Phenolic Top	Epoxy Resin Top	Maple Butcher Block
Metal table, fixed height with levelers	V6150	V6150PR	V6150ER	V6150BB
Metal table, fixed height with casters	V6250	V6250PR	V6250ER	V6250BB
Metal table, adjustable-height with levelers	V6350	V6350PR	V6350ER	V6350BB
Metal table, adjustable-height with casters	V6450	V6450PR	V6450ER	V6450BB
Metal trapezoidal table, fixed height with levelers	V6190	V6190PR	V6190ER	V6190BB
Metal trapezoidal table, fixed height with casters	V6290	V6290PR	V6290ER	V6290BB
Metal trapezoidal table, adjustable-height with levelers	V6390	V6390PR	V6390ER	V6390BB
Metal trapezoidal table, adjustable-height with casters	V6490	V6490PR	V6490ER	V6490BB

Metal Tables


CAT. NO **V6150**
DESCRIPTION Metal table, fixed height with levelers


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **V6190**
DESCRIPTION Metal trapezoidal table, fixed height with levelers


HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30

WIDTH 48 | 60

CAT. NO **V6250**
DESCRIPTION Metal table, fixed height with casters

HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)

DEPTH 24 | 30

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **V6290**
DESCRIPTION Metal trapezoidal table, fixed height with casters

HEIGHT 30 (sitting) | 34 (ADA) | 36 (standing)


DEPTH 24 | 30

WIDTH 48 | 60

CAT. NO **V6350**
DESCRIPTION Metal table, adjustable-height with levelers


HEIGHT 26 - 38" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **V6390**
DESCRIPTION Metal trapezoidal table, adjustable-height with levelers


HEIGHT 26 - 38" Adjustable

DEPTH 24 | 30

WIDTH 48 | 60

CAT. NO **V6450**
DESCRIPTION Metal table, adjustable-height with casters

HEIGHT 26 - 38" Adjustable

DEPTH 24 | 30

WIDTH 24 | 30 | 36 | 42 | 48 | 60 | 72

CAT. NO **V6490**
DESCRIPTION Metal trapezoidal table, adjustable-height with casters

HEIGHT 26 - 38" Adjustable

DEPTH 24 | 30

WIDTH 48 | 60

Pinnacle Series® - Electric Height-Adjustable


Features and Benefits

The Pinnacle Series® frames are designed to maximize your lab capabilities with horizontal service distribution. These workstations are used in conjunction with overhead service distribution systems (see Service Carriers, Tiles & Utility Chases Section) keeping water, gas, power, vacuum, data and communication all within easy reach. Using horizontal table manifolds in conjunction with horizontal overhead service distribution systems gives you "plug and play" flexibility. For electric height-adjustable workstations, a quiet 24-volt linear actuator drive system is used.

The uprights are deck-mounted and move in unison with the work surface which is electric height-adjustable with the push of a button. This workstation system has three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. Accessories and brackets will vary based on your upright selection. To order your uprights, manifolds, services, work surface, shelving, fixtures, and more, refer to the end of this section. For suspended and mobile casework options, refer to the casework sections. If you do not order a CiF Lab Solutions work surface, you must order the wire management kit (TMW1) found at the end of this section.

- Shelf brackets are available as angle* or book-end style
- Shelves are available in plastic laminate, painted metal, phenolic resin, epoxy resin, and wood* and adjustable in 1-inch increments or infinitely adjustable
- Optional shelf retainer lips are available in metal cut-out, single rail and triple rail*
- Transport carts are available to move electric-height adjustable workstations with leveler glides to a new location
- Horizontal gas and electric manifolds*
- Electric* and manual height-adjustable work surface options
- Available with leveler glides*, swivel casters or leveling style casters
- Work surface material options include phenolic resin, thermally fused, metal, epoxy resin, wood, and plastic laminate*

*Option shown on drawing



Pinnacle Series® - Electric with Leveler Glides

Product Description and Characteristics

The dual-drive electric workstation, Pinnacle Series®, offers height-adjustment to the user by the push of a button (workstation power requirement is 110v). The motor's power cord is 10-feet and shipped with a straight-blade plug. The range of height adjustment is 27- to 43-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the electric height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section. If you do not order a CiF Lab Solutions work surface, you must order the wire management kit (TMW1) found at the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with leveler glides is 1200 LBS. and based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 1200 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Electric Pinnacle Series® Frame with Leveler Glides


MODEL#: PBHL + D + W + Foot Set Model Number with Leveler Glides

Workstation Depth	Foot Set w/ Glides Model #
24	FA24K
30	FA30K
36	FA36K

Optional accessories are located at the end of this section including:

- Uprights
- Fixtures
- Modesty panel
- Manifolds
- Work surfaces
- Task light
- Shelving
- Pneumatic arms

D	24 30 36
W	48 60 72 84 96



Pinnacle Series® - Electric with Swivel Casters

Product Description and Characteristics

The dual-drive electric workstation, Pinnacle Series®, offers height-adjustment to the user by the push of a button (workstation power requirement is 110v). The motor's power cord is 10-feet and shipped with a straight-blade plug. The range of height adjustment is 27- to 43-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the electric height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section. If you do not order a CiF Lab Solutions work surface, you must order the wire management kit (TMW1) found at the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with swivel casters is 1200 LBS. and based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 1200 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Electric Pinnacle Series® Frame with Swivel Casters


MODEL#: PBHL + D + W + Foot Set Model Number with Swivel Casters

Workstation Depth	Foot Set w/Swivel Casters Model #
24	FD24K
30	FD30K
36	FD36K

Optional accessories are located at the end of this section including:

- Uprights
- Fixtures
- Modesty panel
- Manifolds
- Work surfaces
- Task light
- Shelving
- Pneumatic arms

D	24 30 36
W	48 60 72 84 96



Pinnacle Series® - Electric with MD Leveling Casters

Product Description and Characteristics

The dual-drive electric workstation, Pinnacle Series®, offers height-adjustment to the user by the push of a button (workstation power requirement is 110v). The motor's power cord is 10-feet and shipped with a straight-blade plug. The range of height adjustment is 27- to 43-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the electric height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section. If you do not order a CiF Lab Solutions work surface, you must order the wire management kit (TMW1) found at the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with medium duty leveling casters is 600 LBS. and based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 600 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Electric Pinnacle Series® Frame with Medium Duty Leveling Casters


MODEL#: PBHL + D + W + Foot Set Model Number with Medium Duty Leveling Casters

Workstation Depth	Foot Set w/MD Leveling Casters Model #
24	FC24K
30	FC30K
36	FC36K

Optional accessories are located at the end of this section including:

- Uprights
- Fixtures
- Modesty panel
- Manifolds
- Work surfaces
- Task light
- Shelving
- Pneumatic arms

D	24 30 36
W	48 60 72 84 96



SHOWN: PBHL3060FC30K

Pinnacle Series® - Electric with HD Leveling Casters

Product Description and Characteristics

The dual-drive electric workstation, Pinnacle Series®, offers height-adjustment to the user by the push of a button (workstation power requirement is 110v). The motor's power cord is 10-feet and shipped with a straight-blade plug. The range of height adjustment is 27- to 48-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the electric height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section. If you do not order a CiF Lab Solutions work surface, you must order the wire management kit (TMW1) found at the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with heavy duty leveling casters is 1200 LBS. and based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 1200 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Electric Pinnacle Series® Frame with Heavy Duty Leveling Casters


MODEL#: PBHL + D + W + Foot Set Model Number with Heavy Duty Leveling Casters

Workstation Depth	Foot Set w/HD Leveling Casters Model #
24	FB24K
30	FB30K
36	FB36K

Optional accessories are located at the end of this section including:

- Uprights
- Fixtures
- Modesty panel
- Manifolds
- Work surfaces
- Task light
- Shelving
- Pneumatic arms

D	24 30 36
W	48 60 72 84 96



Pinnacle Series® - Manual Height-Adjustable


Features and Benefits

The Pinnacle Series® frames are designed to maximize your lab capabilities when used in conjunction with horizontal overhead service distribution systems (see Service Carriers, Tiles & Utility Chases Section) by keeping water, gases, power, vacuum, data and communication all within easy reach. Using the horizontal table manifolds in conjunction with horizontal overhead service distribution systems gives you "plug and play" flexibility.

The uprights are deck-mounted and move in unison with the work surface which is manually height-adjustable using a hand-retractable plunger system. This workstation system has three available upright options including aluminum infinitely adjustable (36- or 42-inch height uprights) and steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, order the uprights that include a center upright. Accessories and brackets will vary based on your upright selection. To order your uprights, manifolds, services, work surface, shelving, fixtures, and more, refer to the end of this section. If you do not order a CiF Lab Solutions work surface, you must order the wire management kit (TMW1) found at the end of this section. For suspended and mobile casework options, refer to the casework sections.

- Shelf brackets are available as angle* or book-end style
- Shelves are available in plastic laminate, painted metal, phenolic resin*, epoxy resin, and wood and adjustable in 1-inch increments or infinitely adjustable
- Optional shelf retainer lips are available in metal cut-out, single rail, triple rail, and a no rail option*
- Electric and manual* height-adjustable work surface options
- Available with leveler glides, swivel casters or leveling style casters*
- Work surface material options include phenolic resin*, thermally fused, metal, epoxy resin, wood, and plastic laminate
- Transport carts are available to assist in changing work surface heights on manual tables and to relocate tables on glides.
- Horizontal gas and electric manifolds*

*Option shown on drawing



Pinnacle Series® - Manual with Leveler Glides

Product Description and Characteristics

The manual, Pinnacle Series®, offers manual height-adjustment of the work surface by a hand-retractable plunger system. The range of height adjustment is 27- to 43-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the manual height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with leveler glides is 1200 LBS., based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 1200 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Manual Pinnacle Series® Frame with Leveler Glides


MODEL#: AFHL + D + W + Foot Set Model Number with Leveler Glides

Workstation Depth	Foot Set w/ Glides Model #
24	FA24E
30	FA30E
36	FA36E

Optional accessories are located at the end of this section including:

- Uprights
- Task light
- Fixtures
- Shelving
- Modesty panel
- Pneumatic arms
- Manifolds
- Transport Cart
- Work surfaces

D	24 30 36
W	48 60 72 84 96



Pinnacle Series® - Manual with Swivel Casters

Product Description and Characteristics

The manual, Pinnacle Series®, offers manual height-adjustment of the work surface by a hand-retractable plunger system. The range of height adjustment is 27- to 43-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the manual height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with swivel casters is 1200 LBS., based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 1200 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication:

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Manual Pinnacle Series® Frame with Swivel Casters


MODEL#: AFHL + D + W + Foot Set Model Number with Swivel Casters

Workstation Depth	Foot Set w/Swivel Casters Model #
24	FD24E
30	FD30E
36	FD36E

Optional accessories are located at the end of this section including:

- Uprights
- Task light
- Fixtures
- Shelving
- Modesty panel
- Pneumatic arms
- Manifolds
- Transport Cart
- Work surfaces

D	24 30 36
W	48 60 72 84 96



Pinnacle Series® - Manual with MD Leveling Casters

Product Description and Characteristics

The manual, Pinnacle Series®, offers manual height-adjustment of the work surface by a hand-retractable plunger system. The range of height adjustment is 27- to 43-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the manual height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with medium duty leveling casters is 600 LBS., based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 600 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Manual Pinnacle Series® Frame with Medium Duty Leveling Casters


MODEL#: AFHL + D + W + Foot Set Model Number with Medium Duty Leveling Casters

Workstation Depth	Foot Set w/MD Leveling Casters Model #
24	FC24E
30	FC30E
36	FC36E

Optional accessories are located at the end of this section including:

- Uprights
- Task light
- Fixtures
- Shelving
- Modesty panel
- Pneumatic arms
- Manifolds
- Transport Cart
- Work surfaces

D	24 30 36
W	48 60 72 84 96



Pinnacle Series® - Manual with HD Leveling Casters

Product Description and Characteristics

The manual, Pinnacle Series®, offers manual height-adjustment of the work surface by a hand-retractable plunger system. The range of height adjustment is 27- to 43-inches (not including the work surface height). To order this workstation, you must order the frame and the foot set model number together. The foot set model number is based on the workstation's depth and is specific to the manual height-adjustable frame.

Uprights are ordered separately from the frame and available in three upright options including aluminum infinitely adjustable (36- or 42-inch height uprights), steel slotted adjustable (36- or 48-inch height uprights) in nominal 1-inch increments, and surface mounted utility uprights with slotted oval post design adjustable in 1-inch increments. When ordering workstations with a width over 48-inches, the uprights will include a center upright. To order your uprights and other accessories, refer to the end of this section.

The 24-inch deep frame is capable of suspending casework with the nominal sizes of (24H x 18D x Variable Width Range: 18, 24 and 30), but can't be used with mobile cabinets. The 30- and 36-inch deep frames are capable of suspending casework with the nominal sizes of (24H x 24D x Variable Width Range: 18, 24 and 30) and work with mobile cabinets with the nominal sizes of (25H x Variable Depth: 21 or 24 x Variable Width Range: 24, 30, 33, 36, 42, 45, and 48). Refer to our full specifications for details.

Load Rating

The total load rating with heavy duty leveling casters is 1200 LBS., based on evenly distributed loads. You must deduct the weight of the work surface, shelves, accessories, and suspended casework from the 1200 LBS. for the available load rating balance.

Finish

All steel frame components shall be finished using a baked-on powder-coat finish. Standard colors include black, grey, platinum, and light neutral.

Fabrication

Pinnacle Series® workstations are shipped with everything from the work surface down attached to the workstation; excludes suspended casework. Uprights and other accessory items used above the work surface are shipped on a pallet knocked down. Suspended casework is shipped assembled and needs to be suspended on the workstation at final destination.

Warranty

All standard products manufactured by CiF Lab Solutions carry a two (2) year guarantee and Limited Warranty from the date of substantial completion to the original owner against defective material and workmanship.

Manual Pinnacle Series® Frame with Heavy Duty Leveling Casters


MODEL#: AFHL + D + W + Foot Set Model Number with Heavy Duty Leveling Casters

Workstation Depth	Foot Set w/HD Leveling Casters Model #
24	FB24E
30	FB30E
36	FB36E

Optional accessories are located at the end of this section including:

- Uprights
- Task light
- Fixtures
- Shelving
- Modesty panel
- Pneumatic arms
- Manifolds
- Transport Cart
- Work surfaces

D	24 30 36
W	48 60 72 84 96



Pinnacle Series® - Uprights

These uprights are designed to be used with the Pinnacle Series® workstations. This system has three available upright options including aluminum infinitely adjustable (36- or 42-inch high uprights), steel slotted adjustable (36- or 48-inch high uprights) in nominal 1-inch increments and surface mounted oval post design (48-inch high uprights). Please note: If your workstation only needs uprights on half of the surface, please divide your total workstation width in half and use the calculated answer for your width.



CAT. NO	URA1 + H + W	URS1 + H + W	URB1 + H + W
DESCRIPTION	Aluminum Uprights <ul style="list-style-type: none"> All widths over 48-inches will receive a center upright For use with infinitely adjustable shelving 	Steel Slotted Uprights <ul style="list-style-type: none"> All widths over 48-inches will receive a center upright For use with adjustable shelving (nominal 1-inch) 	Surface Mounted Utility Uprights With Oval Post Design <ul style="list-style-type: none"> All widths over 48-inches will receive a center upright For use with adjustable shelving (nominal 1-inch) Each upright allows for three gas fixtures
HEIGHT	36 42	36 48	48
WIDTH	30 36 42 48 60 72 84 96	30 36 42 48 60 72 84 96	48 60 72 84 96

Pinnacle Series® - Work Surfaces

We designed this page to help "build" your work surface selection by using a simple model number assembly formula. Included in the model number assembly, you will select the workstation type, work surface size, material type, and upright type to equal a "10" character model number. In addition, you must specify the work surface color and edge color/type when applicable.

The model number assembly is equal to one work surface. You must specify quantity of work surfaces based on each assembly.

Work Surface Model # Template	
Pinnacle Series® ____ + Size ____ + Material Type ____ + Upright Type ____ = 10 Character Model Number	
Step 1	Select the system your work surface will be used on
	Pinnacle Series® – WP
Step 2	Select the work surface size starting with thickness (T), depth (D) and width (W)
	Thickness (T) – 01 02 Depth (D) – 24 30 36 Workstation Width (W) – 48 60 72 84 96 *For 3/4-inch thick use 01. For 1-inch thick use 02.
Step 3	Select the work surface material. This should be done in your submittal drawings or Caseline file
	Phenolic – P Thermally Fused – T Epoxy – E Wood – W HPL Laminate – L
Step 4	Select the upright option
	Aluminum Infinitely Adjustable (URA) – A Steel Slotted Nominal 1-Inch Adjustable (URS) – S Utility Slotted Upright – B No Uprights – N

Pinnacle Series® - Shelving


The accessories on this pages are designed to showcase our various shelf options and provide further detail on available selections. In addition, we have included a few material definitions to help you make your selection.

The following shelf and work surface material definitions are from SEFA 3 standards and used with permission.


Epoxy Resin – Epoxy resin tops and sinks are produced from a composite of epoxy resin, silica, inert fillers and organic hardeners. Material is cast and cured in ovens at elevated temperatures. Material is homogeneous throughout and nonabsorbent.

High Pressure Plastic Laminate – High pressure plastic laminate tops are made from melamine-impregnated surface papers pressed over phenolic-impregnated kraft paper layers. The back is sanded to facilitate bonding to the top of suitable substrate.


Phenolic – Solid phenolic composite tops are a compression molded composite of a homogeneous core of organic fiber reinforced phenolic and may contain one or more integrally cured surfaces that are non-porous.




Triple Rail




Double Rail



Single Rail



Book End Bracket



Angled Bracket

* Note: All shelves include a structural rear retainer lip as shown.

Pinnacle Series® - Shelving


We designed this page to help "build" your shelving selection by using a simple model number assembly formula. Included in the model number assembly, you will select the workstation type, size of shelf, material type, front retainer, bracket type and upright type to equal a "12" character model number.

The model number assembly is equal to one shelf. Each shelf is half width due to the intermediate upright on tables great than 48 inches wide. You must specify the quantity of shelves, i.e. two shelves for one full width run of shelving.

Shelving Model # Template	
Pinnacle Series® ____ + Size ____ + Material Type ____ + Retainer Lip ____ + Bracket ____ + Upright Type ____ = 12 Character Model Number	
Step 1	Select the workstation system your shelf will be used on
	Pinnacle Series® – SU
Step 2	Select the shelf size in order starting with shelf thickness (T), shelf depth (D) and workstation width (W)
	Thickness (T) – 01 02 Depth (D) – 12 15 Workstation Width (W) – 36 42 48 60 72 84 96 *For 3/4-inch thick use 01. For 1-inch thick use 02. *Two shelves required for full width run
Step 3	Select the shelf material. This should be done in your submittal drawings or Caseline file
	Phenolic – P Thermally Fused – T Metal – M Epoxy – E Wood – W HPL Laminate – L Brackets and Hardware Only – X
Step 4	Select the shelf front containment option
	*Each shelf comes with a rear retainer Triple Rail – T Double Rail – D Single Rail – S None – N
Step 5	Select the shelf bracket. System uses a stepped down bracket design
	Book End – B Angled Bracket – A
Step 6	Select the upright type
	Aluminum Infinitely Adjustable (URA) – A Steel Slotted Nominal 1-Inch Adjustable (URS) – S Utility Slotted Upright – X

Pinnacle Series® - Power Manifolds


The standard power manifolds on this page are designed to be used with the Pinnacle Series® Workstations. We have a few additional options available which you obtain by "building your own" model number. Options not listed are considered custom. For customization of services and for the latest service template, consult your CiF Lab Solutions sales consultant for options.



PM00URA10 + W

Manifold - For use with the aluminum continuous slot upright


- Power manifold with (4) NEMA 5-20 outlets, (3) on front and (1) on back
- Outlets will be gray and commercial grade
- Cord will be 15-ft with straight blade plug



PM01URA10 + W

Manifold - For use with the aluminum continuous slot upright

- Power manifold with (4) NEMA 5-20 outlets, (3) on front, (1) on back, and (1) 3-port data harness
- Outlets will be gray and commercial grade
- Cord will be 15-ft with straight blade plug



PM02URA11 + W

Manifold - For use with the aluminum continuous slot upright

- Power manifold with (1) NEMA L6-20 outlet
- Outlet will be gray and commercial grade
- Cord will be 15-ft with twistloc plug

Power Manifolds Model # Template

Power Manifold (For URA1 & URS1 only) ____ +
 Configuration ____ +
 Upright Type ____ +
 Plug End Type ____ + Workstation Width ____ +
 = 11 Character Model Number

Step 1

Automatically use the letters "P" and "M" to indicate you are ordering a power manifold

Power Manifold – **PM**

Step 2

Select the type of product configuration you need on your manifold ("00", "01" or "02")

- (4) NEMA 5-20 outlets, (3) on front and (1) on back – **00**
- (4) NEMA 5-20 outlets, (3) on front and (1) on back and (1) 3-port data harness – **01**
- (1) NEMA L6-20 outlet – **02**

Step 3

Select the type of upright

- Aluminum continuous slot upright – **URA1**
- Steel slotted upright – **URS1**

Step 4

Select the plug end type

- NEMA 5-20 Straight blade – **0**
- NEMA L5-20 Twistloc – **1**


Step 5

Select the workstation width

30, 36, 42, 48, 60, 72, 84, or 96

Pinnacle Series® - Power Manifolds

The manifolds on this pages are designed to be used for the Pinnacle Series® Workstations. For customization of services and for the latest service template, consult your CiF Lab Solutions sales consultant for options.




PM20SMXX0 + W

Manifold

- Three duplexes

W | (Use workstation width)




PM21URB1 + W

Manifold

- Four duplexes

W | (Use workstation width)



PM22URB1+ W

Manifold

- Three duplexes and one data

W | (Use workstation width)

Power Manifolds Model # Template

Power Manifold (For use w/ URB1 only) ____ +
 Configuration ____ +
 Upright Type ____ +
 Plug End Type ____ + Workstation Width ____ +
 = 11 Character Model Number

Step 1

Automatically use the letters "P" and "M" to indicate you are ordering a power manifold

Power Manifold – **PM**

Step 2

Select the type of product configuration you need on your manifold ("20", "21" or "22")

(3) NEMA 5-20 outlets on front only – **20**

(4) NEMA 5-20 outlets on front only – **21**

(3) NEMA 5-20 outlets and (1) 3-port data outlet on front only – **22**

Step 3

Select the type of upright

Utility Uprights – **URB1**

Step 4

Select the plug end type

Straight blade – **0**

Twistloc – **1**


Step 5

Select the workstation width

30, 36, 42, 48, 60, 72, 84, or 96

Pinnacle Series® - Gas Manifolds


The standard gas manifolds on this page are designed to be used with the Pinnacle Series® Workstations. We have a few additional options available which you obtain by "building your own" model number. Options not listed are considered custom. For customization of services and for the latest service template, consult your CiF Lab Solutions sales consultant for options.



GM00URA1 + W

Manifold - For use with the aluminum continuous slot upright


- Gas manifold with (1) fixture cutout
- Cutouts are designed to fit WaterSaver fixtures
- If other fixtures are needed, you must contact CiF Lab Solutions



GM01URA1 + W

Manifold - For use with the aluminum continuous slot upright

- Gas manifold with (2) fixture cutouts
- Cutouts are designed to fit WaterSaver fixtures
- If other fixtures are needed, you must contact CiF Lab Solutions



GM02URA1 + W

Manifold - For use with the aluminum continuous slot upright

- Gas manifold with (3) fixture cutouts
- Cutouts are designed to fit WaterSaver fixtures
- If other fixtures are needed, you must contact CiF Lab Solutions

Gas Manifolds Model # Template

Gas Manifold (For URS1 & URA1 only) ____ +
 Configuration ____ +
 Upright Type ____ +
 Workstation Width ____ +
= 10 Character Model Number

Step 1

Automatically use the letters "G" and "M" to indicate you are ordering a gas manifold

Gas Manifold – GM

Step 2

Select the type of product configuration you need on your manifold ("00", "01" or "02")

- (1) Fixture cutout – **00**
- (2) Fixture cutouts – **01**
- (3) Fixture cutouts – **02**

Step 3

Select the type of upright

Aluminum continuous slot upright – **URA1**
 Steel slotted upright – **URS1**

Step 4

Select the workstation width

30, 36, 42, 48, 60, 72, 84, or 96

Pinnacle Series® - Plumbing Hoses

CiF Lab Solutions offers a wide array of options to suit your plumbing hose requirements. To order the hose for your fixtures, you must "build your own" six character model number. White is the color used if a service is needed that is not listed below. Options not listed are considered custom.

Plumbing Hose Model # Template	
Plumbing Hoses ____ + Configuration ____ + Color/Service ____ + Length ____ = 6 Character Model Number	
Step 1	Automatically use the letters "P" and "H" to indicate you are ordering a plumbing hose
	Plumbing Hose – PH
Step 2	Select the type of configuration you need for your hose
	3/8" FNPT and male quick connect – 1
Step 3	Select the color and service
	Color is BLACK and service is HELIUM – K1 Color is ORANGE and service is AIR – K2 Color is GREEN and service is WATER – K3 Color is YELLOW and service is VACUUM – K4 Color is BLUE and service is NATURAL GAS – K5 Color is WHITE and service is MISC – K6 Color is PURPLE and service is ARGON – K7 Color is BROWN and service is NITROGEN – K8
Step 4	Select the hose length
	1-Foot hose – A 2-Foot hose – B 3-Foot hose – C 4-Foot hose – D 5-Foot hose – E 6-Foot hose – F 7-Foot hose – G 8-Foot hose – H 9-Foot hose – I 10-Foot hose – J



Pinnacle Series® - Plumbing Valves

CiF Lab Solutions offers a wide array of options to suit your plumbing hose requirements. To order the hose for your fixtures, you must "build your own" six character model number. White is the color used if a service is needed that is not listed below. Options not listed are considered custom.

Plumbing Valve Model # Template	
Plumbing Valves ____ + Configuration ____ + Color/Service ____ + Product/Finish ____ + Type = 7 Character Model Number	
Step 1	Automatically use the letters "P" and "V" to indicate you are ordering a plumbing valve
	Plumbing Hose – PV
Step 2	Select the type of product configuration you are using with the plumbing valve
	Plumbing Manifold – 1
Step 3	Select the color and service
	Color is BLACK and service is HELIUM – K1 Color is ORANGE and service is AIR – K2 Color is GREEN and service is WATER – K3 Color is YELLOW and service is VACUUM – K4 Color is BLUE and service is NATURAL GAS – K5 Color is WHITE and service is MISC – K6 Color is PURPLE and service is ARGON – K7 Color is BROWN and service is NITROGEN – K8
Step 4	Select the product/finish
	Standard/Chrome – A ColorTech/White – B ColorTech/Gray – C ColorTech/Tan – D ColorTech/Polished Chrome with clear epoxy – E ColorTech/Satin Nickel with clear epoxy – F ColorTech/Satin Chrome with epoxy – G
Step 5	Select the type of valve
	Ball valve – 0 Needle valve – 1 Fine Control Needle – 2




Pinnacle Series® - Workstation Accents

Most of the accessories on this page are designed to be ordered in conjunction with the workstation they are installed on. The 5th through the 8th character in the model numbers below designate the flexible workstation system.

PBHL - Electric Pinnacle Series®


AFHL - Manual Pinnacle Series®



Front Accent Rail - Wood

ARX1PBHL + Workstation Width


ARX1AFHL + Workstation Width



Front Accent Rail - Laminate

ARX2PBHL + Workstation Width


ARX2AFHL + Workstation Width



Backsplash – Painted Metal

BSXXPBHL + Workstation Width

BSXXAFHL + Workstation Width



Back Crosstube Cover

CCXXPBHL + Workstation Width

CCXXAFHL + Workstation Width

Motor Wire Management Kit For Electric Workstations

TWM1

- You must order this kit when you don't order a CiF Lab Solutions work surface with your workstation. The kit includes table wire mounts for electric tables of all sizes and models, zip ties, bases, screws and switch screws.

Aesthetics Wire Management Package For Electric Workstations

TWM2

- This kit is an aesthetics kit designed for cord management and used for mounting lights, hoses and manifold feeds. Kit includes zip ties, bases and screws.

Pinnacle Series® - Task Light

The task light is designed to be used with CiF Lab Solutions laboratory workstations. This clear anodized aluminum task light with grey end caps and low-profile can be ordered for individual use or with jumper cords for connection together. Its energy-efficient LED technology and infinite dimming capability keeps your energy costs down. When interconnecting the fixtures, the accumulated system wattage must never exceed the total wattage of the power supply. To interconnect the fixtures, you must order a "task light" model number and a "task light with jumper cord" model number. They are "starter" and "adder" systems and only the task light model number includes a power supply. Certification for the lights include UL and cUL.



Task Light

TL11XXXX17

- 17-inch light with screws and magnetic clips for mounting to all shelf material types

TL11XXXX31

- 31-inch light with screws and magnetic clips for mounting to all shelf material types

- Attaches to the underside of the shelf
- The power supply is a molded straight plug with black cord
- Instant on; fade to off; dimming switch
- 60 watt power supply
- 17-inch light has 24 LEDs and is six watts and the 31-inch light has 48 LEDs and is 14 watts



Task Light with Jumper Cord

TL12XXXX17

- 17-inch light with screws and magnetic clips for mounting to all shelf material types and jumper cord


TL12XXXX31

- 31-inch light with screws and magnetic clips for mounting to all shelf material types and jumper cord

- Attaches to the underside of the shelf
- No power supply is included
- Instant on; fade to off; dimming switch
- 8-inch and 30-inch jumper cord to interconnect lights between shelves
- 17-inch light has 24 LEDs and is six watts and the 31-inch light has 48 LEDs and is 14 watts

Pinnacle Series® - Computer Accessories


The accessories on this pages are designed to be used with CiF Lab Solutions laboratory workstations. Unless otherwise noted below, these accessories are designed to mount to the uprights using specialty brackets based on the type of upright selected.



Height-Adjustable Pneumatic Arm for Keyboard Tray and Mouse Pad

PKBAAA - Use with infinitely adjustable aluminum uprights

PKBAAS - Use with steel slotted uprights



Height-Adjustable Pneumatic Arm for Keyboard Tray and Mouse Pad


PFSMAA - Use with infinitely adjustable aluminum uprights

PFSMAS - Use with steel slotted uprights



Under Work Surface Keyboard Tray and Mouse Pad


UWKTM - Mounts under all work surfaces



Fixed-Height Articulating Arm for Keyboard Tray and Mouse Pad

KBAAA - Use with infinitely adjustable aluminum uprights

KBAAS - Use with steel slotted uprights



Fixed-Height Flat Screen Display Arm

FPDAA - Use with infinitely adjustable aluminum uprights

FPDAS - Use with steel slotted uprights




CPU Holder

CPU02 - Mounts under all work surfaces* (shown above)

• CPU provided by others and is not included

Pinnacle Series® - Apparatus Rods

Workstations that are ordered with an apparatus rod are considered custom fabrication (drawings and design placement will be needed). The 3/4-inch apparatus rods and components on this page are manufactured by WaterSaver Faucet Company and can be pieced together to form an apparatus rod assembly




Vertical Rod with Tapered End

AAVR + H

- Aluminum
- One rod per model number

H	39 46
---	---------



Horizontal Crossbar

AAHR + W

- Aluminum
- One rod per model number

W	24 36
---	---------



Adjustable Clamp

AAACXX

- Aluminum



Burette Socket for Recess Mounting

AABRXX

- Aluminum



Burette Socket for Surface Mounting

AABSXX

- Aluminum

General Information

Please review the following for Mobile cabinet information. Contact your dealer for any clarifications.


All cabinet dimensions shown are listed as nominal. The heights listed are overall dimensions from floor to top and include the height of the casters.

All mobile cabinets feature heavy duty institutional-grade casters with locking brakes – front only.

Low mobile cabinets do not include separate tops (to be specified elsewhere). Integral inset finished wood veneer or plastic laminate tops to match the cabinet are available (specify).


Cabinets that require locks, specialty hardware or devices, and other options, must be clearly called out or specified accordingly.

Low Mobile Cabinets


CAT. NO **U0000**
DESCRIPTION **Open Storage**
 • One adjustable shelf

HEIGHT 24 | 28 | 32.75 | 35


DEPTH 19 | 22

WIDTH 18 | 21 | 24

U0110 (Hinged L) **U0120** (Hinged R)

Storage w/Door
 • One adjustable shelf


HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 18 | 21 | 24

U0100
Storage w/Doors
 • One adjustable shelf


HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 30 | 36

CAT. NO **U0840**
DESCRIPTION **Sliding Door Storage**
 • One adjustable shelf


HEIGHT 24 | 28 | 32.75 | 35

DEPTH 19 | 22

WIDTH 30 | 36

U0060
Open Double-Sided Storage
 • Adjustable shelves
 • Centered back panel


HEIGHT 24 | 28 | 32.75 | 35

DEPTH 22 | 28

WIDTH 30 | 36

U0070
Double-Sided Storage w/Doors
 • Adjustable shelves
 • Centered back panel
 • Four hinged doors

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 24 | 30

WIDTH 30 | 36

CAT. NO **U0105**
DESCRIPTION **Storage w/ Doors**
 • Top not included
 • Pegboard mounted to each end
 • Metal handle at one end
 • One adjustable shelf

HEIGHT 24 | 28 | 32.75 | 35


DEPTH 20 | 23

WIDTH 30 | 36 | 42 | 48

U3050
Drawer/Shelf Storage
 • One adjustable shelf
 • One drawer

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 18 | 21 | 24 | 30 | 36

U3000
Door/Drawer Storage
 • One adjustable shelf
 • Two hinged doors and one drawer

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 30 | 36

Low Mobile Cabinets (cont'd)


CAT. NO **U3100**


DESCRIPTION **Door/Drawer Storage**

- One adjustable shelf
- Two doors and two drawers

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 30 | 36


U3110 (Hinged L) **U3120** (Hinged R)

Door/Drawer Storage

- One adjustable shelf
- One door and one drawer

24 | 28 | 32.75 | 35

20 | 23

18 | 21 | 24


U3310


Door/Drawer Storage

- One adjustable shelf
- One hinged door and three drawers

24 | 28 | 32.75 | 35

20 | 23

30 | 36


CAT. NO **U3320**

DESCRIPTION **Door/Drawer Storage**

- One adjustable shelf
- One hinged door and three drawers

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 30 | 36


U3410


Door/Drawer Storage

- One adjustable shelf
- One hinged door and four drawers

28 | 32.75 | 35

20 | 23

30 | 36


U3420

Door/Drawer Storage

- One adjustable shelf
- One hinged door and four drawers

28 | 32.75 | 35

20 | 23

30 | 36


CAT. NO **U4030**

DESCRIPTION **Three Drawer Storage**

- Three drawers

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 18 | 21 | 24 | 30 | 36


U4040

Four Drawer Storage

- Four drawers

24 | 28 | 32.75 | 35

20 | 23

18 | 21 | 24 | 30 | 36


U4050

Five Drawer Storage


- Five drawers

24 | 28 | 32.75 | 35

20 | 23

18 | 21 | 24 | 30 | 36

Low Mobile Cabinets (cont'd)



CAT. NO **U4540**

DESCRIPTION **Mobile File Drawer Storage**

- Three drawers including one file-size drawer
- Hanging file folders not included

HEIGHT 28 | 32.75

DEPTH 23


WIDTH 17 (letter) | 20 (legal)

CAT. NO **U4550**

DESCRIPTION **Mobile File Drawer Storage**

- Two file-size drawers
- Hanging file folders not included

HEIGHT 32.75

DEPTH 23


WIDTH 17 (letter) | 20 (legal)

CAT. NO **U1400**

DESCRIPTION **Open Tote Tray Storage**

- Tote tray size: 36"w – TT130, 48"w – TT140
- Two fixed vertical partitions

HEIGHT 28 (12 trays) | 35 (15 trays)

DEPTH 22


WIDTH 36 | 48

CAT. NO **U1440**

DESCRIPTION **Tote Tray Storage w/ Doors**

- Tote tray size: 36"w – TT130, 48"w – TT140
- Two fixed vertical partitions

HEIGHT 28 (12 trays) | 35 (15 trays)

DEPTH 23


WIDTH 36 | 48

CAT. NO **U1500**

DESCRIPTION **Open Tote Tray Storage**

- Three fixed vertical partitions

HEIGHT 28 (16 trays) | 35 (20 trays)

DEPTH 22

WIDTH 48

CAT. NO **U1540**

DESCRIPTION **Tote Tray Storage w/ Doors**

- Tote tray size: TT130
- Three fixed vertical partitions
- Two hinged doors

HEIGHT 28 (16 trays) | 35 (20 trays)

DEPTH 23

WIDTH 48

Low Mobile Cabinets (cont'd)


CAT. NO **U4060**
DESCRIPTION **Six Drawer Storage**
 • Six drawers

HEIGHT 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 18 | 21 | 24 | 30 | 36

U8060
Six Drawer Storage
 • Six drawers

HEIGHT 24 | 28 | 32.75 | 35


DEPTH 20 | 23

WIDTH 30 | 36

U8080
Eight Drawer Storage
 • Eight drawers

HEIGHT 28 | 32.75 | 35


DEPTH 20 | 23

WIDTH 30 | 36

CAT. NO **U1000** (Adj. Shlvs.) **U1130** (Fxd. Shlvs.)

DESCRIPTION **Open Cubicle Storage**
 • One fixed vertical partition
 • Two shelves

HEIGHT 24 | 28 | 32.75 | 35


DEPTH 19 | 22

WIDTH 30 | 36 | 42 | 48

U1040 (Adj. Shlvs.) **U1150** (Fxd. Shlvs.)

Cubicle Storage w/Doors
 • One fixed vertical partition
 • Two hinged doors
 • Two shelves

HEIGHT 24 | 28 | 32.75 | 35


DEPTH 20 | 23

WIDTH 30 | 36 | 42 | 48

U1200 (Adj. Shlvs.) **U1230** (Fxd. Shlvs.)

Open Cubicle Storage
 • Two fixed vertical partitions
 • Three shelves

HEIGHT 24 | 28 | 32.75 | 35


DEPTH 19 | 22

WIDTH 30 | 36 | 42 | 48

CAT. NO **U1240** (Adj. Shlvs.) **U1250** (Fxd. Shlvs.)

DESCRIPTION **Cubicle Storage w/Doors**
 • Two fixed vertical partitions
 • Two hinged doors
 • Three shelves

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 30 | 36 | 42 | 48

U1300 (Adj. Shlvs.) **U1330** (Fxd. Shlvs.)

Open Cubicle Storage
 • Three fixed vertical partitions
 • Four shelves

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 19 | 22

WIDTH 30 | 36 | 42 | 48

U1340 (Adj. Shlvs.) **U1350** (Fxd. Shlvs.)

Cubicle Storage w/Doors
 • Three fixed vertical partitions
 • Two hinged doors
 • Four shelves

HEIGHT 24 | 28 | 32.75 | 35

DEPTH 20 | 23

WIDTH 30 | 36 | 42 | 48

General Information

Please review the following for Tall cabinet information. Contact your CiF Lab Solutions dealer for clarifications.

Casework shown in this section has been pre-engineered for a wide variety of storage solutions that are adaptable to a wide variety of applications. For specialty applications, please refer to the table of contents for exact pages. If you do not find your solution in this catalog, please contact your CiF Lab Solutions dealer for updated information. We may also be able to custom engineer a cabinet to suit your specific needs. All cabinet dimensions shown are listed as nominal.

Be sure to utilize fillers, especially at walls and corners, for proper leveling and to allow for door and drawer opening clearances.

Cabinets that require locks, finished ends, finished backs and other options, specialty hardware or devices, must be clearly called out or specified accordingly. Finished tops are sold separately from Tall cabinets.


Tall Cabinet Dimensions

Tall Cabinet Depths		
Nominal	Actual End Panel (in.)	Actual End Panel (mm)
12	12.125	308
13	12.125	308
15	15.125	384
16	15.125	384
22	22.125	562
23	22.125	562

For cabinets with doors and drawers add 1" or 25mm to figure the overall depth.

Sliding door cabinets and open cabinets overall are the same as the actual end panel.


General Storage Tall Cabinets


CAT. NO **T0000**
DESCRIPTION

- Open Storage**
- Four adjustable shelves
 - One centered fixed shelf

HEIGHT 60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 12 | 15 | 22 | 28

WIDTH 12 | 15 | 18 | 21 | 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T0110 **T0120**
(Hinged L) (Hinged R)


Storage with Door

- Four adjustable shelves
- One centered fixed shelf
- One hinged door

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

12 | 15 | 18 | 21 | 24



T0100
Storage with Doors

- Four adjustable shelves
- One centered fixed shelf
- Two hinged doors

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48



T0840
Storage with Sliding Doors

- Four adjustable shelves
- One centered fixed shelf
- Two sliding doors on overhead track

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

12 | 15 | 22

30 | 33 | 36 | 39 | 42 | 45 | 48



CAT. NO **T0310** **T0320**
(Hinged L) (Hinged R)

DESCRIPTION

- Storage with Framed Glazed Door**
- Four adjustable shelves
 - One centered fixed shelf

HEIGHT 60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23


WIDTH 12 | 15 | 18 | 21 | 24

T0300
Storage with Framed Glazed Doors

- Four adjustable shelves
- One centered fixed shelf

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48



T0860
Storage with Framed Glazed Sliding Doors

- Four adjustable shelves
- One centered fixed shelf

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

12 | 15 | 22

30 | 33 | 36 | 39 | 42 | 45 | 48


T0680
Storage with Doors


- Two adjustable shelves
- Six roll-out shelves
- Two hinged doors
- One fixed shelf

72 | 78 | 84 | 86 | 88 | 90 | 95

16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


General Storage Tall Cabinets (cont'd)


CAT. NO **T0690**
DESCRIPTION
Storage with Doors

- Six roll-out shelves
- Four hinged doors
- One fixed shelf
- Two adjustable shelves
- Doors split at fixed shelf

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 16 | 23


WIDTH 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T0160
Storage with Doors

- Four adjustable shelves
- One fixed shelf
- Four hinged doors
- Doors split at fixed shelf

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


T0510
(Hinged L)

T0520
(Hinged R)


Storage with Doors

- Four adjustable shelves
- One fixed shelf
- Two hinged doors
- Doors split at fixed shelf

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

12 | 15 | 18 | 21 | 24



T0130
Storage with Doors

- Top compartment - 21.76" height.
- Five adjustable shelves
- Two fixed shelves
- Four hinged doors
- Doors split at fixed shelf

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23


24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


CAT. NO **T0460**
DESCRIPTION
Storage with Framed Glazed & Solid Door

- Three adjustable shelves
- One fixed shelf
- Four hinged doors (2 hinged & 2 glass doors)
- Doors split at fixed shelf
- Lower compartment fixed at 29.06"

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23


WIDTH 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T0480
Storage with Sliding Glazed & Solid Doors

- Three adjustable shelves
- One fixed shelf
- Two hinged doors and two sliding glazed doors
- Lower compartment fixed at 29.06"

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

30 | 33 | 36 | 39 | 42 | 45 | 48



T0440
Sloped-Shelf Display

- Three sloping display shelves
- One adjustable shelf
- Two hinged doors
- Lower compartment fixed at 29.06"

84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


T0400
Storage with Doors


- Three adjustable shelves
- One fixed shelf
- Two hinged doors
- Lower compartment fixed at 29.06"

72 | 78 | 84 | 86 | 88 | 90 | 95


13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48



General Storage Tall Cabinets (cont'd)





Bottom compartment is fixed at 29.32" clear height




Bottom compartment is fixed at 29.32" clear height




CAT. NO	T0410 (Hinged L)	T0420 (Hinged R)	T0430	T1000	T1110 (Hinged L)	T1120 (Hinged R)
DESCRIPTION	Storage with Doors <ul style="list-style-type: none"> • Three adjustable shelves • One fixed shelf • Two hinged doors • Doors split at fixed shelf 		Storage with Doors <ul style="list-style-type: none"> • Three adjustable shelves • One fixed shelf • Four hinged doors • Doors split at fixed shelf 	Open Cubicle Storage <ul style="list-style-type: none"> • Eight adjustable shelves • Two centered fixed shelves • One fixed vertical partition 	Cubicle Storage with Doors <ul style="list-style-type: none"> • Eight adjustable shelves • Two centered fixed shelves • One fixed vertical partition • One hinged door 	
HEIGHT	72 78 84 86 88 90 95		72 78 84 86 88 90 95	60 66 72 78 84 86 88 90 95	60 66 72 78 84 86 88 90 95	
DEPTH	13 16 23		13 16 23	12 15 22 28	13 16 23	
WIDTH	12 15 18 21 24		24 27 30 33 36 39 42 45 48	12 15 18 21 24 27 30 33 36 39 42 45 48	12 15 18 21 24	



Bottom compartment is fixed at 21.76" clear height





Bottom compartment is fixed at 21.76" clear height




CAT. NO	T1040	T3110 (Hinged L)	T3120 (Hinged R)	T3100	T3430
DESCRIPTION	Cubicle Storage with Doors <ul style="list-style-type: none"> • Eight adjustable shelves • Two centered fixed shelves • One fixed center partition • Two hinged doors 	Storage with Door <ul style="list-style-type: none"> • Four adjustable shelves • One hinged door • One drawer 		Storage with Doors <ul style="list-style-type: none"> • Six adjustable shelves above and one below • One fixed vertical partition • Two hinged doors • Two drawers 	Storage <ul style="list-style-type: none"> • Two adjustable shelves • Three drawers
HEIGHT	60 66 72 78 84 86 88 90 95	72 78 84 86 88 90 95		72 78 84 86 88 90 95	72 78 84 86 88 90 95
DEPTH	13 16 23	16 23		16 23	16 23
WIDTH	24 27 30 33 36 39 42 45 48	12 15 18 21 24		24 27 30 33 36 39 42 45 48	24 27 30 33 36 39 42 45 48

General Storage Tall Cabinets (cont'd)




Compartment sizes vary with cabinet height. Please contact CiF Lab Solutions representative if specific sizes are required.

CAT. NO	T3030	T3440	T3040	T3140
DESCRIPTION	Door/Drawer Storage <ul style="list-style-type: none"> Two adjustable shelves Three drawers Two hinged doors 	Storage <ul style="list-style-type: none"> Two adjustable shelves Four drawers 	Door/Drawer Storage <ul style="list-style-type: none"> Two adjustable shelves Four drawers Two hinged doors 	Door/Drawer Storage with Framed Glazed Doors <ul style="list-style-type: none"> Two adjustable shelves Four drawers
HEIGHT	72 78 84 86 88 90 95	72 78 84 86 88 90 95	72 78 84 86 88 90 95	72 78 84 86 88 90 95
DEPTH	16 23	16 23	16 23	16 23
WIDTH	24 27 30 33 36 39 42 45 48	24 27 30 33 36 39 42 45 48	24 27 30 33 36 39 42 45 48	24 27 30 33 36 39 42 45 48



Bottom compartment is fixed at 29.32" clear height



Bottom compartment is fixed at 29.32" clear height




Bottom compartment is fixed at 29.32" clear height



Bottom compartment is fixed at 29.32" clear height

CAT. NO	T3160	T3060	T3230	T3240
DESCRIPTION	Door/Drawer Storage with Sliding Glazed Doors <ul style="list-style-type: none"> Two adjustable shelves Four drawers 	Sloped-Shelf Display <ul style="list-style-type: none"> Three sloping display shelves Four drawers 	Door/Drawer Storage <ul style="list-style-type: none"> Two adjustable shelves Two hinged doors Six drawers 	Door/Drawer Storage <ul style="list-style-type: none"> Two adjustable shelves Two hinged doors Eight drawers
HEIGHT	72 78 84 86 88 90 95	84 86 88 90 95	72 78 84 86 88 90 95	72 78 84 86 88 90 95
DEPTH	16 23	16 23	16 23	16 23
WIDTH	30 33 36 39 42 45 48	24 27 30 33 36 39 42 45 48	24 27 30 33 36 39 42 45 48	24 27 30 33 36 39 42 45 48

General Storage Tall Cabinets (cont'd)


CAT. NO **T3500**


DESCRIPTION **File Drawer Storage**

- Two adjustable shelves
- Three file-size drawers

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 16 | 23

WIDTH 16 (letter) | 19 (legal)


T3510 **T3520**
(Hinged L) (Hinged R)


File Drawer Storage with Door

- Two adjustable shelves
- One hinged door
- Three file-size drawers

72 | 78 | 84 | 86 | 88 | 90 | 95

16 | 23

16 (letter) | 19 (legal)


T3550 **T3560**
(Hinged L) (Hinged R)


File Drawer Storage with Door

- Two adjustable shelves
- One hinged door
- Four file-size drawers

72 | 78 | 84 | 86 | 88 | 90 | 95

16 | 23

16 (letter) | 19 (legal)


CAT. NO **T0810** **T0820**
(Hinged L) (Hinged R)


DESCRIPTION **Door w/o Bottom w/Door**

- Two fixed shelves
- One hinged door

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23

WIDTH 12 | 15 | 18 | 21 | 24


T0800


Storage without Bottom with Doors

- Two fixed shelves
- Two hinged doors

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


T0830

Storage without Bottom with Doors



- Two adjustable shelves
- One fixed shelf
- Two hinged doors

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

Corner Tall Cabinets






Return Cabinet Depth	Model Number Variations Similar to W0210 & W0220	
13	T0213	T0223
16	T0214	T0224
23	T0217	T0227

Blind corner cabinets are available in the following depths and widths:


Depth	Available Widths
13	27 30 33 36 39
16	30 33 36 39 42
23	36 39 42 45 48

CAT. NO	T0210
DESCRIPTION	Blind Corner Storage <ul style="list-style-type: none"> • Four adjustable shelves • One centered fixed shelf • One hinged door
HEIGHT	60 66 72 78 84 86 88 90 95
DEPTH	13 16 23
WIDTH	See table above.
Depth of the return cabinet to be specified	

CAT. NO	T0220
DESCRIPTION	Blind Corner Storage <ul style="list-style-type: none"> • Four adjustable shelves • One centered fixed shelf • One hinged door
HEIGHT	60 66 72 78 84 86 88 90 95
DEPTH	13 16 23
WIDTH	See table above.
Depth of the return cabinet to be specified	




CAT. NO	X9770
DESCRIPTION	Open Diagonal Corner Cabinet <ul style="list-style-type: none"> • Four adjustable shelves • One fixed shelf • 45° angle front • Please verify that cabinets will fit through doorways
HEIGHT	60 66 72 78 84
DEPTH	23
WIDTH	36



CAT. NO	X9790
DESCRIPTION	Diagonal Corner Cabinet with Doors <ul style="list-style-type: none"> • Four adjustable shelves • One fixed shelf • Two hinged doors • 45° angle front • Please verify that cabinets will fit through doorways
HEIGHT	60 66 72 78 84
DEPTH	23
WIDTH	48

Corner Tall Cabinets (cont'd)



CAT. NO **X9810** (Hinged L) **X9820** (Hinged R)


DESCRIPTION **Diagonal Corner Cabinet with Door**

- Four adjustable shelves
- One fixed shelf
- One hinged door
- 45° angle front
- Please verify that cabinets will fit through doorways
- Compartment sizes vary with cabinet height. Please contact your CiF Lab Solutions representative if specific sizes are required.

HEIGHT 60 | 66 | 72 | 78 | 84

DEPTH 23

WIDTH 36



X9840

Diagonal Corner Cabinet with Doors

- Four adjustable shelves
- One fixed shelf
- Two hinged doors
- 45° angle front
- Please verify that cabinets will fit through doorways
- Compartment sizes vary with cabinet height. Please contact your CiF Lab Solutions representative if specific sizes are required.

60 | 66 | 72 | 78 | 84

23




48

Cubicle Storage Tall Cabinets

Shelf Quantity Per Cabinet

Cubicle Storage Cabinets (T0030-T1350)

		Cabinet Height								
		60"	66"	72"	78"	84"	86"	88"	90"	95"
# of Partitions	0	7	7	9	9	9	9	9	9	11
	1	14	14	14	18	18	18	18	18	22
	2	21	21	21	27	27	27	27	27	33
	3	28	28	28	36	36	36	36	36	44



CAT. NO T0030

DESCRIPTION Open Storage
• Fixed shelves

HEIGHT 60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 12 | 15 | 22 | 28

WIDTH 12 | 15 | 18 | 21 | 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T0090

Storage with Doors
• Fixed shelves
• Two hinged doors

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T1100

(Adj. Shlvs.)

T1130

(Fxd. Shlvs.)

Open Cubicle Storage
• One fixed vertical partition
• Two centered fixed shelves

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

12 | 15 | 22 | 28

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T1140

(Adj. Shlvs.)

T1150




(Fxd. Shlvs.)

Open Cubicle Storage with Doors
• One fixed vertical partition
• Two centered fixed shelves
• Two hinged doors

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48



CAT. NO T1200

T1230

(Fxd. Shlvs.)

DESCRIPTION Open Cubicle Storage
• Two fixed vertical partitions
• Three centered fixed shelves

HEIGHT 60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 12 | 15 | 22 | 28

WIDTH 30 | 33 | 36 | 39 | 42 | 45 | 48

T1240

(Adj. Shlvs.)

T1250

(Fxd. Shlvs.)

Cubicle Storage with Doors
• Two fixed vertical partitions
• Three centered fixed shelves
• Two hinged doors

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

30 | 33 | 36 | 39 | 42 | 45 | 48

T1300

(Adj. Shlvs.)

T1330

(Fxd. Shlvs.)

Open Cubicle Storage
• Three fixed vertical partitions
• Four centered fixed shelves

60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

12 | 15 | 22 | 28

30 | 33 | 36 | 39 | 42 | 45 | 48

T1340

(Adj. Shlvs.)

T1350

(Fxd. Shlvs.)

Cubicle Storage with Doors
• Three fixed vertical partitions
• Four centered fixed shelves
• Two hinged doors


60 | 66 | 72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

30 | 33 | 36 | 39 | 42 | 45 | 48

*See table above for shelf quantity

Cubicle Storage Tall Cabinets (cont'd)



Bottom compartment is fixed at 29.32" clear height

CAT. NO **T1280**

DESCRIPTION


Storage with Doors

- Two adjustable shelves in upper compartment and nine in lower compartment
- Two fixed vertical partitions
- Two hinged doors

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23

WIDTH 30 | 33 | 36 | 39 | 42 | 45 | 48



Bottom compartment is fixed at 29.32" clear height

T1270


Storage with Doors

- Two adjustable shelves in upper compartment and nine in lower compartment
- Two fixed vertical partitions
- Four hinged doors
- Doors split at fixed shelf

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

30 | 33 | 36 | 39 | 42 | 45 | 48



T1260


Cubicle Storage with Doors

- Two adjustable shelves in upper compartment and nine in lower compartment
- Two fixed vertical partitions
- Two hinged doors

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

30 | 33 | 36 | 39 | 42 | 45 | 48



Bottom compartment is fixed at 29.32" clear height

T1380


Storage with Doors

- Two adjustable shelves in upper compartment and twelve in lower compartment
- Three fixed vertical partitions
- Two hinged doors

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

30 | 33 | 36 | 39 | 42 | 45 | 48



Bottom compartment is fixed at 29.32" clear height

CAT. NO **T1370**

DESCRIPTION


Storage with Doors

- Two adjustable shelves in upper compartment and twelve in lower compartment
- Three fixed vertical partitions
- Four hinged doors
- Doors split at fixed shelf

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23

WIDTH 30 | 33 | 36 | 39 | 42 | 45 | 48



T1360


Storage with Doors

- Two adjustable shelves in upper compartment and twelve in lower compartment
- Three fixed vertical partitions
- Two hinged doors

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

30 | 33 | 36 | 39 | 42 | 45 | 48



T1610
(Hinged L)


Project Storage with Door

- Six fixed shelves
- Two fixed vertical partitions
- One hinged door

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

15 | 18 | 21 | 24



T1600

Open Project Storage


- Twelve fixed shelves
- Five fixed vertical partitions

72 | 78 | 84 | 86 | 88 | 90 | 95

12 | 15 | 22 | 28

30 | 33 | 36 | 39 | 42 | 45 | 48

Cubicle Storage Tall Cabinets (cont'd)



CAT. NO **T1640**
DESCRIPTION

Project Storage with Doors

- Twelve fixed shelves
- Five fixed vertical partitions
- Two hinged doors

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23

WIDTH 30 | 33 | 36 | 39 | 42 | 45 | 48

T5210
(Hinged L)

T5220
(Hinged R)


Project Storage with Inset Doors

- Two compartments
- Inset doors w/five knuckle hinges
- Padlock hasp on each door

84

13 | 16 | 23

12 | 15 | 18 | 21 | 24


T5310
(Hinged L)

T5320
(Hinged R)


Project Storage with Inset Doors

- Three compartments
- Inset doors w/five knuckle hinges
- Padlock hasp on each door

84

13 | 16 | 23

12 | 15 | 18 | 21 | 24


T5410
(Hinged L)

T5420
(Hinged R)


Project Storage with Inset Doors

- Four compartments
- Inset doors w/five knuckle hinges
- Padlock hasp on each door

84

13 | 16 | 23

12 | 15 | 18 | 21


CAT. NO **T5510**
(Hinged L)

T5520
(Hinged R)


DESCRIPTION

Project Storage with Inset Doors

- Five compartments
- Inset doors w/five knuckle hinges
- Padlock hasp on each door

HEIGHT 84

DEPTH 13 | 16 | 23

WIDTH 12 | 15 | 18

T6210
(Hinged L)

T6220
(Hinged R)

Project Storage w/ Overlay Doors

- Two compartments
- Overlay doors

84

13 | 16 | 23

12 | 15 | 18 | 21 | 24


T6310
(Hinged L)

T6320
(Hinged R)


Project Storage w/ Overlay Doors

- Three compartments
- Overlay doors

84

13 | 16 | 23

12 | 15 | 18 | 21 | 24


T6410
(Hinged L)

T6420
(Hinged R)

Project Storage w/ Overlay Doors

- Four compartments
- Overlay doors


84

13 | 16 | 23

12 | 15 | 18 | 21

Cubicle Storage Tall Cabinets

(cont'd)



CAT. NO	<div> <div>T6510</div> <div>(Hinged L)</div> </div> <div> <div>T6520</div> <div>(Hinged R)</div> </div>
DESCRIPTION	<div>Project Storage w/ Overlay Doors</div> <div> <ul style="list-style-type: none"> Five compartments Overlay doors </div>
HEIGHT	84
DEPTH	13 16 23
WIDTH	12 15 18

Tote Tray Storage Tall Cabinets

All tote tray cabinets include high impact resistant polystyrene trays. Tote trays are supported by ribbed polystyrene panels mounted to the cabinet ends and partitions. All trays include an aluminum label holder.

Tote tray quantity varies by cabinet height. Consult the table at right for exact counts.

Tote Tray Sizes

TT100 12½"w x 19"d x 4⅜"h


TT110 12½"w x 19"d x 3½"h

TT120 10"w x 19"d x 4"h

TT130 10"w x 19"d x 3½"h


TT140 14"w x 18"d x 3½"h

TT150 14"w x 18"d x 4"h



Tote Tray Quantity Per Cabinet

		Cabinet Height		
		72	78	84
Cabinet Model No.	T1400	36	42	42
	T1410	24	28	28
	T1420	24	28	28
	T1430	24	28	28
	T1440	36	42	42
	T1450	48	54	60
	T1460	48	54	60
	T1470	15	15	15
	T1480	21	21	21
	T1500	48	56	56
	T1510	32	36	40
	T1520	32	36	40
	T1530	32	36	40
	T1540	48	56	56
	T1550	64	72	80
	T1560	64	72	80
	T1570	20	20	20
	T1580	28	28	28



CAT. NO

T1510
(Hinged L)

T1520
(Hinged R)

DESCRIPTION


Tote Tray Storage with Door

- One fixed vertical partition
- Two fixed shelves
- Tote tray size: TT130
- One hinged door

HEIGHT 72 | 78 | 84

DEPTH 23

WIDTH 24



T1530


Tote Tray Storage with Doors

- One fixed vertical partition
- Two fixed shelves
- Tote tray size: TT110
- Two hinged doors

72 | 78 | 84

23

30



T1450


Open Tote Tray Storage

- Two fixed vertical partitions
- Three fixed shelves
- Tote tray size: 36"w – TT130, 48"w – TT140

72 | 78 | 84

23

36 | 48



T1460

Tote Tray Storage with Doors


- Two fixed vertical partitions
- Three fixed shelves
- Tote tray size: 36"w – TT130, 48"w – TT140
- Two hinged doors

72 | 78 | 84

23

36 | 48


Tote Tray Storage Tall Cabinets (cont'd)


CAT. NO **T1550**
DESCRIPTION
Open Tote Tray Storage

- Three fixed vertical partitions
- Tote tray size: TT130

HEIGHT 72 | 78 | 84

DEPTH 23


WIDTH 48

T1560
Tote Tray Storage with Doors

- Three fixed vertical partitions
- Tote tray size: TT130
- Two hinged doors

72 | 78 | 84

23

48



T1480
Tote Tray Storage with Doors

- Two adjustable shelves
- Two fixed vertical partitions
- Tote tray size: 36" w – TT130, 48" w – TT140
- Doors split at fixed shelf

72 | 78 | 84

23

36 | 48



T1580
Tote Tray Storage with Doors

- Two adjustable shelves
- Three fixed vertical partitions
- Tote tray size: TT130
- Four hinged doors
- Doors split at fixed shelf

72 | 78 | 84

23

48



CAT. NO **T1410** **T1420**
(Hinged L) (Hinged R)

DESCRIPTION
Tote Tray Storage with Door

- One fixed vertical partition
- Tote tray size: TT120
- One hinged door

HEIGHT 72 | 78 | 84

DEPTH 23


WIDTH 24

T1430
Tote Tray Storage with Doors

- One fixed vertical partition
- Tote tray size: TT100
- Two hinged doors

72 | 78 | 84

23

30



T1400
Open Tote Tray Storage

- Two fixed vertical partitions
- Tote tray size: 36" w – TT120, 48" w – TT150

72 | 78 | 84

23

36 | 48


T1440
Tote Tray Storage with Doors





- Two fixed vertical partitions
- Tote tray size: 36" w – TT120, 48" w – TT150
- Two hinged doors

72 | 78 | 84

23

36 | 48

Tote Tray Storage Tall Cabinets (cont'd)


CAT. NO T1500
DESCRIPTION

- Open Tote Tray Storage**
- Three fixed vertical partitions
 - Tote tray size: TT120

HEIGHT 72 | 78 | 84

DEPTH 23

WIDTH 48

T1540
Tote Tray Storage with Doors

- Three fixed vertical partitions
- Tote tray size: TT120
- Two hinged doors

72 | 78 | 84

23

48

T1470
Tote Tray Storage with Doors

- Two adjustable shelves
- Two fixed vertical partitions
- Tote tray size: 36"w – TT120, 48"w – TT150

72 | 78 | 84

23

36 | 48

T1570
Tote Tray Storage with Doors



- Two adjustable shelves
- Three fixed vertical partitions
- Tote tray size: TT120
- Four hinged doors

72 | 78 | 84

23

48

Angled Back Tall Cabinets


CAT. NO **T9200**



DESCRIPTION **Open Angled Back Storage**

- Four adjustable shelves
- One centered fixed shelf
- Left rear corner at 45° angle

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 12 | 15 | 22

WIDTH 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


T9210 (Hinged L)

T9220 (Hinged R)



Angled Back Storage with Door

- Four adjustable shelves
- One centered fixed shelf
- One hinged door
- Left rear corner at 45° angle

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24


CAT. NO **T9240**



DESCRIPTION **Angled Back Storage with Doors**

- Four adjustable shelves
- One centered fixed shelf
- Two hinged doors
- Left rear corner at 45° angle

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23

WIDTH 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


T9300

Open Angled Back Storage





- Four adjustable shelves
- One centered fixed shelf
- Right rear corner at 45° angle

72 | 78 | 84 | 86 | 88 | 90 | 95

12 | 15 | 22

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

Angled Back Tall Cabinets (cont'd)


CAT. NO **T9310** (Hinged L)

T9320 (Hinged R)

DESCRIPTION **Angled Back Storage with Door**

- Four adjustable shelves
- One centered fixed shelf
- One hinged door
- Right rear corner at 45° angle

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 13 | 16 | 23

WIDTH 24

T9340
Angled Back Storage with Doors


- Four adjustable shelves
- One centered fixed shelf
- Two hinged doors
- Right rear corner at 45° angle

72 | 78 | 84 | 86 | 88 | 90 | 95

13 | 16 | 23

24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48


Special Purpose Tall Cabinets


CAT. NO **T4100**
DESCRIPTION

- Utility Storage with Doors**
- One fixed shelf
 - 12"h pegboard on sides and back
 - Metal drip pan
 - Two hinged doors

HEIGHT 72 | 78 | 84

DEPTH 23

WIDTH 24 | 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T4110
(Hinged L)


T4120
(Hinged R)

Utility Storage with Door

- One fixed shelf
- 12"h pegboard on sides and back
- Metal drip pan
- One hinged door

HEIGHT 72 | 78 | 84


DEPTH 23

WIDTH 18 | 21 | 24

T4140
Tool Storage with Doors

- Upper compartment lined with pegboard
- Two adjustable shelves in lower compartment
- Two hinged doors
- Fixed vertical partition

HEIGHT 72 | 78 | 84


DEPTH 23

WIDTH 30 | 33 | 36 | 39 | 42 | 45 | 48

T4160
Tool Storage with Doors

- Upper compartment has two pivoting pegboard panels
- Two adjustable shelves in lower compartment
- Two hinged doors
- Fixed vertical partition

HEIGHT 72 | 78 | 84


DEPTH 23

WIDTH 30 | 33 | 36 | 39 | 42 | 45 | 48

CAT. NO **T4145**
DESCRIPTION

- Tool Storage with Doors**
- Upper compartment and doors lined with pegboard
 - Two adjustable shelves in lower compartment
 - Split-height doors

HEIGHT 72 | 78 | 84

DEPTH 23

WIDTH 30 | 33 | 36 | 39 | 42 | 45 | 48

T4150
Parts Storage split-height double doors with removable bins


- Bin sizes:
- (72) 5-1/2" x 4" x 3"
- (48) 7-1/2" x 4" x 3"
- (6) 15" x 16-1/2" x 7"

HEIGHT 78

DEPTH 24

WIDTH 48


Special Purpose Tall Cabinets (cont'd)


CAT. NO T0540
DESCRIPTION
Damp Storage with Doors

- Five adjustable vinyl-coated wire shelves
- Metal drip pan
- Two hinged doors with seal

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 23


WIDTH 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

T0550
Damp Storage with Doors

- Five adjustable vinyl-coated wire shelves
- Metal drip pan
- Interior lined with galvanized metal
- Two hinged doors with seal
- Widths 39-48 require an additional bracket per shelf and an additional standard per cabinet.

72 | 78 | 84 | 86 | 88 | 90 | 95

23

27 | 30 | 33 | 36 | 39 | 42 | 45 | 48



T0560
Drying Cabinets with Doors

- Five adjustable vinyl-coated wire shelves
- Metal drip pan
- Two ventilated hinged doors with expanded metal inserts

72 | 78 | 84 | 86 | 88 | 90 | 95

23

27 | 30 | 33 | 36 | 39 | 42 | 45 | 48



T0610 (Hinged L) T0620 (Hinged R)
Vented Storage with Door

- Five adjustable vinyl-coated wire shelves
- One hinged door with louvered vents

72 | 78 | 84 | 86 | 88 | 90 | 95

23

12 | 15 | 18 | 21 | 24


CAT. NO T0600
DESCRIPTION
Vented Storage with Doors


- Adjustable vinyl-coated wire shelves
- Two hinged doors with louvered vents

HEIGHT 72 | 78 | 84 | 86 | 88 | 90 | 95

DEPTH 23


WIDTH 27 | 30 | 33 | 36 | 39 | 42 | 45 | 48

Tall Mobile Cabinets


CAT. NO **U0000**
DESCRIPTION **Open Storage**
 • Adjustable shelves


HEIGHT 54 (3 shelves) | 60 (3 shelves) | 66 (4 shelves)

DEPTH 22 | 28

WIDTH 42 | 45 | 48

CAT. NO **U0100**
Storage w/Doors
 • Adjustable shelves
 • Two hinged doors


HEIGHT 54 (3 shelves) | 60 (3 shelves) | 66 (4 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48

CAT. NO **U0105**
Robotics Cabinet
 • Adjustable shelves
 • Two hinged doors with locking lever handles


HEIGHT 54 (3 shelves) | 60 (3 shelves) | 66 (4 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48

CAT. NO **U0840**
DESCRIPTION **Sliding Door Storage**
 • Adjustable shelves
 • Two sliding doors on overhead track


HEIGHT 54 (3 shelves) | 60 (3 shelves) | 66 (4 shelves)

DEPTH 22 | 28

WIDTH 42 | 45 | 48

CAT. NO **U0060**
Double-Sided Open Storage
 • Adjustable shelves
 • Centered back panel


HEIGHT 54 (6 shelves) | 60 (6 shelves) | 66 (8 shelves)

DEPTH 22 | 28

WIDTH 42 | 45 | 48

CAT. NO **U0070**
Double-Sided Storage w/Doors
 • Adjustable shelves
 • Centered back panel
 • Four hinged doors


HEIGHT 54 (3 shelves) | 60 (3 shelves) | 66 (4 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48

CAT. NO **U4330**
DESCRIPTION **Door/Drawer Storage**
 • Adjustable shelf
 • Two hinged doors and three drawers

HEIGHT 54 (1 shelves) | 60 (2 shelves) | 66 (2 shelves)

DEPTH 23 | 29


WIDTH 42 | 45 | 48

CAT. NO **U4340**
Door/Drawer Storage
 • Adjustable shelf
 • Two hinged doors and four drawers

HEIGHT 54 (1 shelves) | 60 (2 shelves) | 66 (2 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48

Tall Mobile Cabinets (cont'd)


CAT. NO **U4430**


DESCRIPTION **Door/Drawer Storage**

- Adjustable shelf
- Two hinged doors and six drawers

HEIGHT 54 (1 shelves) | 60 (2 shelves) | 66 (2 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48


CAT. NO **U4440** (Adj. Shlvs.)


DESCRIPTION **Door/Drawer Storage**

- Adjustable shelf
- Two hinged doors and eight drawers

HEIGHT 54 (1 shelves) | 60 (2 shelves) | 66 (2 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48


CAT. NO **U1000** (Adj. Shlvs.) **U1130** (Fixed Shlvs.)


DESCRIPTION **Open Cubicle Storage**

- Adjustable shelves
- One fixed vertical partition

HEIGHT 54 (6 shelves) | 60 (6 shelves) | 66 (8 shelves)

DEPTH 22 | 28

WIDTH 42 | 45 | 48


CAT. NO **U1040** (Adj. Shlvs.) **U1150** (Fixed Shlvs.)


DESCRIPTION **Cubicle Storage w/Doors**

- Adjustable shelves
- One fixed vertical partition
- Two hinged doors

HEIGHT 54 (6 shelves) | 60 (6 shelves) | 66 (8 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48


CAT. NO **U1200** (Adj. Shlvs.) **U1230** (Fixed Shlvs.)


DESCRIPTION **Open Cubicle Storage**

- Adjustable shelves
- Two fixed vertical partitions

HEIGHT 54 (9 shelves) | 60 (9 shelves) | 66 (12 shelves)

DEPTH 22 | 28

WIDTH 42 | 45 | 48


CAT. NO **U1240** (Adj. Shlvs.) **U1250** (Fixed Shlvs.)


DESCRIPTION **Cubicle Storage w/Doors**

- Adjustable shelves
- Two fixed vertical partitions
- Two hinged doors

HEIGHT 54 (9 shelves) | 60 (9 shelves) | 66 (12 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48


CAT. NO **U1300** (Adj. Shlvs.) **U1330** (Fixed Shlvs.)


DESCRIPTION **Open Cubicle Storage**

- Adjustable shelves
- Three fixed vertical partitions

HEIGHT 54 (12 shelves) | 60 (12 shelves) | 66 (16 shelves)

DEPTH 22 | 28

WIDTH 42 | 45 | 48


CAT. NO **U1340** (Adj. Shlvs.) **U1350** (Fixed Shlvs.)


DESCRIPTION **Cubicle Storage w/Doors**

- Adjustable shelves
- Three fixed vertical partitions
- Two hinged doors

HEIGHT 54 (12 shelves) | 60 (12 shelves) | 66 (16 shelves)

DEPTH 23 | 29

WIDTH 42 | 45 | 48


CAT. NO **U1400**

DESCRIPTION **Open Tote Tray Storage**

- Tote tray size: 36" w – TT130, 48" w – TT140
- Two fixed vertical partitions

HEIGHT 54 (24 trays) | 66 (33 trays)

DEPTH 22

WIDTH 36 | 48


Tall Mobile Cabinets (cont'd)


CAT. NO **U1440**
DESCRIPTION
Tote Tray Storage w/Doors

- Tote tray size: 36"w – TT130, 48"w – TT140
- Two fixed vertical partitions
- Two hinged doors


HEIGHT 54 (24 trays) | 66 (33 trays)

DEPTH 23

WIDTH 36 | 48

U1500
Open Tote Tray Storage

- Tote tray size: TT130
- Three fixed vertical partitions

54 (32 trays) | **66** (33 trays)

22
48

U1540
Tote Tray Storage w/Doors

- Tote tray size: TT130
- Three fixed vertical partitions
- Two hinged doors

54 (32 trays) | **66** (44 trays)

23
48


Spray Booth

A Spray Booth offers an economical way to exhaust odors and non-toxic fumes in Laboratory, Class Room and Shop environments.

Design

The Spray Booth is constructed of 18 gage steel that is formed and welded into a rigid superstructure. Each unit is finished with a chemical resistant powder coat paint finish and has a replaceable, pleated air filter.

The Spray Booth is designed to have a non-explosion proof exhaust blower (specified) mounted directly on top of the unit. A rectangular duct transition is included to connect the exhaust blower to the Spray Booth. For flammable fumes or vapors, an optional explosion-proof exhaust blower must be specified. The explosion-proof exhaust blower is designed to be mounted on the roof or other suitable location, but not on top of the Spray Booth.




Interior Lighting


The interior of the Spray Booth is illuminated by a vapor proof incandescent light fixture (bulb included). Light bulb replacement is accomplished from the interior of the booth. When exhausting flammable fumes or vapors, an optional explosion-proof light fixture must be specified.

Options


Optional service and electrical fixtures are available for use with the Spray Booth. Contact your representative to assist you in specifying these items.




SB-24



SB-30




SB-36



SB-48

Spray Booth (cont'd)

Exhaust Blowers



HOOD SIZE	MODEL NUMBER	OUTLET SIZE	HP	CFM AT STATIC PRESSURE SHOWN					
				.125	.25	.375	.5	.625	.75
24"	7C037	4 1/4" X 3/8"	1/4	560	515	470	420	360	300
30"	7C038	5 3/8" X 8 1/4"	1/3	920	870	820	765	710	655
36"	7C039	6 1/2" X 10 3/4"	1/3	968	930	890	850	810	773
48"	7C647	6 1/2" X 10 3/4"	1/3	1160	1125	1090	1035	963	855

Exhaust Blowers feature a dynamically balanced forward curve wheel with cast iron hubs. Housing and motorbase are 16 gage steel with a gray baked-on epoxy finish. Motors are 115V/60HZ with H.P. as shown above. Contact your CiS Solutions representative to assist you in specifying an explosion-proof exhaust blower.


Replacement Filters

HOOD SIZE	FILTER NUMBER	QUANTITY	SIZE
24"	6556	1	16"x20"
30"	6557	1	22"x20"
36"	6558	2	14"x20"
48"	6559	2	20"x20"


Spray Booth replacement filters are a 1" thick cotton polyester blended filter, laminated to a galvanized steel expanded metal support grid. Order by part number from the chart to the left. (Note: 36" and 48" Spray Booths require two filters.)

Rough-in Details


HOOD SIZE	DIMENSIONS				
	"A"	"C"	"B"	"D"	"E"
24"	7"	4 3/4"	10 7/16"	10 3/8"	6"
30"	7"	7 3/4"	8"	14"	6"
36"	7"	10 3/4"	10 7/8"	17 5/8"	6 7/8"
48"	7"	19 3/4"	10 7/8"	26 5/8"	6 7/8"



Plan View of
Spray Booth Top
Without Blower



Plan View of
Spray Booth Top
With Blower



STEM Index

General Information ST-2

Wood Tables – General Information ST-3

Wood Tables Summary ST-4

Fixed-Height Wood Tables With Leveling Glides ST-5

D6150	Table Frame	ST-5
D6151	Table Frame with One Drawer	ST-5
D6152	Table Frame with Two Drawers	ST-5
D6170	Table Frame – Right Legs	ST-5
D6171	Table Frame with One Drawer – Right Legs	ST-5
D6172	Table Frame with Two Drawers – Right Legs	ST-5
D6160	Table Frame – Left Legs	ST-5
D6161	Table Frame with One Drawer – Left Legs	ST-5
D6162	Table Frame with Two Drawers – Left Legs	ST-5
D6190	Trapezoidal Table Frame	ST-5

Fixed-Height Wood Tables With Casters ST-6

D6250	Table Frame	ST-6
D6251	Table Frame with One Drawer	ST-6
D6252	Table Frame with Two Drawers	ST-6
D6270	Table Frame – Right Legs	ST-6
D6271	Table Frame with One Drawer – Right Legs	ST-6
D6272	Table Frame with Two Drawers – Right Legs	ST-6
D6260	Table Frame – Left Legs	ST-6
D6261	Table Frame with One Drawer – Left Legs	ST-6
D6262	Table Frame with Two Drawers – Left Legs	ST-6
D6290	Trapezoidal Table Frame	ST-6

Adjustable-Height Wood Tables with Manual Adjustment and Leveling Glides ST-7

D6350	Table Frame	ST-7
D6351	Table Frame with One Drawer	ST-7
D6352	Table Frame with Two Drawers	ST-7
D6370	Table Frame – Right Legs	ST-7
D6371	Table Frame with One Drawer – Right Legs	ST-7
D6372	Table Frame with Two Drawers – Right Legs	ST-7
D6360	Table Frame – Left Legs	ST-7
D6361	Table Frame with One Drawer – Left Legs	ST-7
D6362	Table Frame with Two Drawers – Left Legs	ST-7
D6390	Trapezoidal Table Frame	ST-7

Adjustable-Height Wood Tables with Manual Adjustment and Casters ST-8

D6450	Table Frame	ST-8
D6451	Table Frame with One Drawer	ST-8
D6452	Table Frame with Two Drawers	ST-8
D6470	Table Frame – Right Legs	ST-8
D6471	Table Frame with One Drawer – Right Legs	ST-8
D6472	Table Frame with Two Drawers – Right Legs	ST-8
D6460	Table Frame – Left Legs	ST-8
D6461	Table Frame with One Drawer – Left Legs	ST-8
D6462	Table Frame with Two Drawers – Left Legs	ST-8
D6490	Trapezoidal Table Frame	ST-8

General Information – Metal Tables ST-9

Metal Tables ST-10

V6150	Metal table, fixed height with levelers	ST-10
V6190	Metal trapezoidal table, fixed height with levelers	ST-10
V6250	Metal table, fixed height with casters	ST-10
V6290	Metal trapezoidal table, fixed height with casters	ST-10
V6350	Metal table, adjustable-height with levelers	ST-10
V6390	Metal trapezoidal table, adjustable-height with levelers	ST-10
V6450	Metal table, adjustable-height with casters	ST-10
V6490	Metal trapezoidal table, adjustable-height with casters	ST-10

Pinnacle Series® - Electric Height-Adjustable ST-11

Pinnacle Series® - Electric with Leveler Glides ST-12

FA24K	Frame with Leveler Glides 24"D	ST-12
FA30K	Frame with Leveler Glides 30"D	ST-12
FA36K	Frame with Leveler Glides 36"D	ST-12

Pinnacle Series® - Electric with Swivel Casters ST-13

FD24K	Frame with Swivel Casters 24"D	ST-13
FD30K	Frame with Swivel Casters 30"D	ST-13
FD36K	Frame with Swivel Casters 36"D	ST-13

Pinnacle Series® - Electric with MD Leveling Casters ST-14

FC24K	Frame with Medium Duty Leveling Casters 24"D	ST-14
FC30K	Frame with Medium Duty Leveling Casters 30"D	ST-14
FC36K	Frame with Medium Duty Leveling Casters 36"D	ST-14

Pinnacle Series® - Electric with HD Leveling Casters ST-15

FB24K	Frame with Heavy Duty Leveling Casters 24"D	ST-15
FB30K	Frame with Heavy Duty Leveling Casters 30"D	ST-15
FB36K	Frame with Heavy Duty Leveling Casters 36"D	ST-15

Pinnacle Series® - Manual Height-Adjustable ST-16

Pinnacle Series® - Manual with Leveler Glides ST-17

FA24E	Frame with Leveler Glides 24"D	ST-17
FA30E	Frame with Leveler Glides 30"D	ST-17
FA36E	Frame with Leveler Glides 36"D	ST-17

Pinnacle Series® - Manual with Swivel Casters ST-18

FD24E	Frame with Swivel Casters 24"D	ST-18
FD30E	Frame with Swivel Casters 30"D	ST-18
FD36E	Frame with Swivel Casters 36"D	ST-18

Pinnacle Series® - Manual with MD Leveling Casters ST-19

FC24E	Frame with Medium Duty Leveling Casters 24"D	ST-19
FC30E	Frame with Medium Duty Leveling Casters 30"D	ST-19
FC36E	Frame with Medium Duty Leveling Casters 36"D	ST-19

Pinnacle Series® - Manual with HD Leveling Casters ST-20

FB24E	Frame with Heavy Duty Leveling Casters 24"D	ST-20
FB30E	Frame with Heavy Duty Leveling Casters 30"D	ST-20
FB36E	Frame with Heavy Duty Leveling Casters 36"D	ST-20

Pinnacle Series® - Uprights ST-21

URA1	Aluminum Uprights	ST-21
URS1	Steel Slotted Uprights	ST-21
URB1	Surface Mounted Utility Uprights With Oval Post Design	ST-21

Pinnacle Series® - Work Surfaces ST-22

Pinnacle Series® - Shelving ST-23

	Triple Rail	ST-23
	Book End Bracket	ST-23
	Double Rail	ST-23
	Angled Bracket	ST-23
	Single Rail	ST-23

Pinnacle Series® - Power Manifolds ST-25

PM00URA10	Manifold - use w/ aluminum continuous slot upright	ST-25
PM01URA10	Manifold - use w/ aluminum continuous slot upright	ST-25
PM02URA11	Manifold - use w/ aluminum continuous slot upright	ST-25
PM20SMXX0	Manifold	ST-26
PM21URB1	Manifold	ST-26
PM22URB1	Manifold	ST-26

Pinnacle Series® - Gas Manifolds ST-27

GM00URA1	Manifold - use w/ aluminum continuous slot upright	ST-27
GM01URA1	Manifold - use w/ aluminum continuous slot upright	ST-27
GM02URA1	Manifold - use w/ aluminum continuous slot upright	ST-27

Pinnacle Series® - Plumbing Hoses ST-28

Pinnacle Series® - Plumbing Valves ST-29

Pinnacle Series® - Workstation Accents ST-30

	Metal Modesty Panel	ST-30
BSXXPBHL	Backsplash- Painted Metal	ST-30
BSXXAFHL	Backsplash- Painted Metal	ST-30
ARX1PBHL	Front Accent Rail - Wood	ST-30
ARX1AFHL	Front Accent Rail - Wood	ST-30
CCXXPBHL	Back Crosstube Cover	ST-30
CCXXAFHL	Back Crosstube Cover	ST-30
ARX2PBHL	Front Accent Rail - Laminate	ST-30
ARX2AFHL	Front Accent Rail - Laminate	ST-30

Pinnacle Series® - Task Light ST-31

TWM1	Motor Wire Management Kit For Electric Workstations	ST-30
TWM2	Aesthetics Wire Mgmt Pkg For Electric Workstations	ST-30
TL11XXXX17	Task Light	ST-31
TL11XXXX31	Task Light	ST-31
TL12XXXX17	Task Light with Jumper Cord	ST-31
TL12XXXX31	Task Light with Jumper Cord	ST-31

STEM Index (cont'd.)

Pinnacle Series® - Computer Accessories ST-32

PKBAAA	Height-Adjustable Pneumatic Arm for Keyboard Tray & Mouse Pad	ST-32
PKBAAS	Height-Adjustable Pneumatic Arm for Keyboard Tray & Mouse Pad	ST-32
KBAAA	Fixed-Height Articulating Arm for Keyboard Tray & Mouse Pad	ST-32
KBAAS	Fixed-Height Articulating Arm for Keyboard Tray & Mouse Pad	ST-32
PFSMAA	Height-Adjustable Pneumatic Arm for Keyboard Tray & Mouse Pad	ST-32
PFSMAS	Height-Adjustable Pneumatic Arm for Keyboard Tray & Mouse Pad	ST-32
FPDAA	Fixed-Height Flat Screen Display Arm	ST-32
FPDAS	Fixed-Height Flat Screen Display Arm	ST-32
UWKTM	Under Work Surface Keyboard Tray and Mouse Pad	ST-32
CPU02	CPU Holder	ST-32

Pinnacle Series® - Apparatus Rods..... ST-33

AAVR + H	Vertical Rod with Tapered End	ST-33
AABRXX	Burette Socket for Recess Mounting	ST-33
AAHR + W	Horizontal Crossbar	ST-33
AABSXX	Burette Socket for Surface Mounting	ST-33
AAACXX	Adjustable Clamp	ST-33

General Information ST-34
Low Mobile Cabinets..... ST-35

U0000	Open Storage.....	ST-35
U0110	Storage w/Door	ST-35
U0120	Storage w/Door	ST-35
U0100	Storage w/Doors	ST-35
U0840	Sliding Door Storage.....	ST-35
U0060	Open Double-Sided Storage.....	ST-35
U0070	Double-Sided Storage w/Doors	ST-35
U0105	Storage w/ Doors	ST-35
U3050	Drawer/Shelf Storage.....	ST-35
U3000	Door/Drawer Storage	ST-35
U3100	Door/Drawer Storage	ST-36
U3110	Door/Drawer Storage	ST-36
U3120	Door/Drawer Storage	ST-36
U3310	Door/Drawer Storage	ST-36
U3320	Door/Drawer Storage	ST-36
U3410	Door/Drawer Storage	ST-36
U3420	Door/Drawer Storage	ST-36
U4030	Three Drawer Storage	ST-36
U4040	Four Drawer Storage	ST-36
U4050	Five Drawer Storage	ST-36
U4540	Mobile File Drawer Storage	ST-37
U4550	Mobile File Drawer Storage	ST-37
U1400	Open Tote Tray Storage.....	ST-37
U1440	Tote Tray Storage w/ Doors	ST-37
U1500	Open Tote Tray Storage.....	ST-37
U1540	Tote Tray Storage w/ Doors	ST-37
U4060	Six Drawer Storage.....	ST-38
U8060	Six Drawer Storage.....	ST-38
U8080	Eight Drawer Storage.....	ST-38
U1000	Open Cubicle Storage.....	ST-38
U1130	Open Cubicle Storage.....	ST-38
U1040	Cubicle Storage w/Doors	ST-38
U1150	Cubicle Storage w/Doors	ST-38
U1200	Open Cubicle Storage.....	ST-38
U1230	Open Cubicle Storage.....	ST-38
U1240	Cubicle Storage w/Doors	ST-38
U1250	Cubicle Storage w/Doors	ST-38
U1300	Open Cubicle Storage.....	ST-38
U1330	Open Cubicle Storage.....	ST-38
U1340	Cubicle Storage w/Doors	ST-38
U1350	Cubicle Storage w/Doors	ST-38

General Information ST-39
General Storage Tall Cabinets..... ST-40

T0000	Open Storage.....	ST-40
T0110	Storage with Door	ST-40
T0120	Storage with Door	ST-40
T0100	Storage with Doors	ST-40
T0840	Storage with Sliding Doors.....	ST-40

T0310	Storage with Framed Glazed Door	ST-40
T0320	Storage with Framed Glazed Door	ST-40
T0300	Storage with Framed Glazed Doors.....	ST-40
T0860	Storage with Framed Glazed Sliding Doors	ST-40
T0680	Storage with Doors	ST-40
T0690	Storage with Doors	ST-41
T0160	Storage with Doors	ST-41
T0510	Storage with Doors	ST-41
T0520	Storage with Doors	ST-41
T0130	Storage with Doors	ST-41
T0460	Storage with Framed Glazed & Solid Door	ST-41
T0480	Storage with Sliding Glazed & Solid Doors.....	ST-41
T0440	Sloped-Shelf Display.....	ST-41
T0400	Storage with Doors	ST-41
T0410	Storage with Doors	ST-42
T0420	Storage with Doors	ST-42
T0430	Storage with Doors	ST-42
T1000	Open Cubicle Storage	ST-42
T1110	Cubicle Storage with Doors	ST-42
T1120	Cubicle Storage with Doors	ST-42
T1040	Cubicle Storage with Doors	ST-42
T3110	Storage with Door	ST-42
T3120	Storage with Door	ST-42
T3100	Storage with Doors	ST-42
T3430	Storage	ST-42
T3030	Door/Drawer Storage	ST-43
T3440	Storage	ST-43
T3040	Door/Drawer Storage	ST-43
T3140	Door/Drawer Storage with Framed Glazed Doors	ST-43
T3160	Door/Drawer Storage with Sliding Glazed Doors.....	ST-43
T3060	Sloped-Shelf Display.....	ST-43
T3230	Door/Drawer Storage	ST-43
T3240	Door/Drawer Storage	ST-43
T3500	File Drawer Storage.....	ST-44
T3510	File Drawer Storage with Door.....	ST-44
T3520	File Drawer Storage with Door.....	ST-44
T3550	File Drawer Storage with Door.....	ST-44
T3560	File Drawer Storage with Door.....	ST-44
T0810	Door w/o Bottom w/Door.....	ST-44
T0820	Door/Drawer Storage with Sliding.....	ST-44
T0800	Storage without Bottom with Doors.....	ST-44
T0830	Storage without Bottom with Doors.....	ST-44

Corner Tall Cabinets..... ST-45

T0210	Blind Corner Storage	ST-45
T0220	Blind Corner Storage	ST-45
X9770	Open Diagonal Corner Cabinet.....	ST-45
X9790	Diagonal Corner Cabinet with Doors	ST-45
X9810	Diagonal Corner Cabinet with Door	ST-46
X9820	Diagonal Corner Cabinet with Door	ST-46
X9840	Diagonal Corner Cabinet with Doors	ST-46

Cubicle Storage Tall Cabinets ST-47

T0030	Open Storage.....	ST-47
T0090	Storage with Doors	ST-47
T1100	Open Cubicle Storage.....	ST-47
T1130	Open Cubicle Storage.....	ST-47
T1140	Open Cubicle Storage with Doors.....	ST-47
T1150	Open Cubicle Storage with Doors.....	ST-47
T1200	Open Cubicle Storage.....	ST-47
T1230	Open Cubicle Storage.....	ST-47
T1240	Cubicle Storage with Doors	ST-47
T1250	Cubicle Storage with Doors	ST-47
T1300	Open Cubicle Storage.....	ST-47
T1330	Open Cubicle Storage.....	ST-47
T1340	Cubicle Storage with Doors	ST-47
T1350	Cubicle Storage with Doors	ST-47
T1280	Storage with Doors	ST-48
T1270	Storage with Doors	ST-48
T1260	Cubicle Storage with Doors	ST-48
T1380	Storage with Doors	ST-48
T1370	Storage with Doors	ST-48
T1360	Storage with Doors	ST-48
T1610	Project Storage with Door	ST-48
T1620	Project Storage with Door	ST-48
T1600	Open Project Storage	ST-48
T1640	Project Storage with Doors	ST-49

STEM Index (cont'd.)

T5210	Project Storage with Inset Doors	ST-49
T5220	Project Storage with Inset Doors	ST-49
T5310	Project Storage with Inset Doors	ST-49
T5320	Project Storage with Inset Doors	ST-49
T5410	Project Storage with Inset Doors	ST-49
T5420	Project Storage with Inset Doors	ST-49
T5510	Project Storage with Inset Doors	ST-49
T5520	Project Storage with Inset Doors	ST-49
T6210	Project Storage w/ Overlay Doors.....	ST-49
T6220	Project Storage w/ Overlay Doors.....	ST-49
T6310	Project Storage w/ Overlay Doors.....	ST-49
T6320	Project Storage w/ Overlay Doors.....	ST-49
T6410	Project Storage w/ Overlay Doors.....	ST-49
T6420	Project Storage w/ Overlay Doors.....	ST-49
T6510	Project Storage w/ Overlay Doors.....	ST-50
T6520	Project Storage w/ Overlay Doors.....	ST-50

Tote Tray Storage Tall Cabinets ST-51

T1510	Tote Tray Storage with Door	ST-51
T1520	Tote Tray Storage with Door	ST-51
T1530	Tote Tray Storage with Doors.....	ST-51
T1450	Open Tote Tray Storage.....	ST-51
T1460	Tote Tray Storage with Doors.....	ST-51
T1550	Open Tote Tray Storage.....	ST-52
T1560	Tote Tray Storage with Doors.....	ST-52
T1480	Tote Tray Storage with Doors.....	ST-52
T1580	Tote Tray Storage with Doors.....	ST-52
T1410	Tote Tray Storage with Door	ST-52
T1420	Tote Tray Storage with Door	ST-52
T1430	Tote Tray Storage with Doors.....	ST-52
T1400	Open Tote Tray Storage.....	ST-52
T1440	Tote Tray Storage with Doors.....	ST-52
T1500	Open Tote Tray Storage.....	ST-53
T1540	Tote Tray Storage with Doors.....	ST-53
T1470	Tote Tray Storage with Doors.....	ST-53
T1570	Tote Tray Storage with Doors.....	ST-53

Angled Back Tall Cabinets..... ST-54

T9200	Open Angled Back Storage	ST-54
T9210	Angled Back Storage with Door.....	ST-54
T9220	Angled Back Storage with Door.....	ST-54
T9240	Angled Back Storage with Doors	ST-54
T9300	Open Angled Back Storage.....	ST-54
T9310	Angled Back Storage with Door	ST-55
T9320	Angled Back Storage with Door.....	ST-55
T9340	Angled Back Storage with Doors	ST-55

Special Purpose Tall Cabinets ST-56

T4100	Utility Storage with Doors.....	ST-56
T4110	Utility Storage with Door	ST-56
T4120	Utility Storage with Door	ST-56
T4140	Tool Storage with Doors.....	ST-56
T4160	Tool Storage with Doors.....	ST-56
T4145	Tool Storage with Doors.....	ST-56

T4150	Parts Storage split-height double doors with removable bins.....	ST-56
T0540	Damp Storage with Doors.....	ST-57
T0550	Damp Storage with Doors.....	ST-57
T0560	Drying Cabinets with Doors	ST-57
T0610	Vented Storage with Door.....	ST-57
T0620	Vented Storage with Door.....	ST-57
T0600	Vented Storage with Doors	ST-57

Tall Mobile Cabinets ST-58

U0000	Open Storage.....	ST-58
U0100	Storage w/Doors	ST-58
U0105	Robotics Cabinet.....	ST-58
U0840	Sliding Door Storage.....	ST-58
U0060	Double-Sided Open Storage.....	ST-58
U0070	Double-Sided Storage w/Doors	ST-58
U4330	Door/Drawer Storage	ST-58
U4340	Door/Drawer Storage	ST-58
U4430	Door/Drawer Storage	ST-59
U4440	Door/Drawer Storage	ST-59
U1000	Open Cubicle Storage.....	ST-59
U1130	Open Cubicle Storage.....	ST-59
U1040	Cubicle Storage w/Doors	ST-59
U1150	Cubicle Storage w/Doors	ST-59
U1200	Open Cubicle Storage.....	ST-59
U1230	Open Cubicle Storage.....	ST-59
U1240	Cubicle Storage w/Doors	ST-59
U1250	Cubicle Storage w/Doors	ST-59
U1300	Open Cubicle Storage.....	ST-59
U1330	Open Cubicle Storage.....	ST-59
U1340	Cubicle Storage w/Doors	ST-59
U1350	Cubicle Storage w/Doors	ST-59
U1400	Open Tote Tray Storage.....	ST-59
U1440	Tote Tray Storage w/Doors	ST-60
U1500	Open Tote Tray Storage.....	ST-60
U1540	Tote Tray Storage w/Doors	ST-60

Spray Booth ST-61

SB-24	24" Spray Booth	ST-61
SB-30	30" Spray Booth	ST-61
SB-36	36" Spray Booth	ST-61
SB-48	48" Spray Booth	ST-61
7C037	24" Exhaust Blower.....	ST-62
7C038	30" Exhaust Blower.....	ST-62
7C039	36" Exhaust Blower.....	ST-62
7C647	48" Exhaust Blower.....	ST-62
6556	24" Replacement Filter	ST-62
6557	30" Replacement Filter	ST-62
6558	36" Replacement Filter	ST-62
6559	48" Replacement Filter	ST-62

